## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	62.1 (56.2-67.7)	73.1 (67.4-78.2)	89.3 (83.9-93.0)	84.1 (71.7-91.6)	Yes
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	4.3 (2.9-6.4)	2.5 (1.5-4.2)	6.4 (4.4-9.2)	11.0 (5.8-19.8)	Yes
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	17.3 (14.3-20.9)	19.4 (15.6-23.9)	24.4 (20.3-29.0)	32.4 (23.1-43.4)	Yes
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	6.0 (3.8-9.5)	6.5 (4.3-9.6)	6.9 (3.4-13.7)	24.4 (13.0-41.1)	Yes
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	37.8 (30.4-45.8)	34.3 (27.3-42.1)	22.9 (14.5-34.3)	39.2 (23.9-56.9)	No
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	7.6 (5.6-10.1)	9.9 (7.3-13.3)	13.1 (9.6-17.6)	27.0 (18.7-37.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	2.3 (1.3-4.0)	1.2 (0.6-2.6)	3.0 (1.8-4.8)	15.1 (8.5-25.2)	Yes
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	2.0 (1.2-3.2)	2.7 (1.4-4.9)	2.6 (1.4-4.6)	19.7 (12.2-30.2)	Yes
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	2.8 (1.8-4.5)	3.1 (2.0-4.9)	6.9 (4.8-9.9)	16.3 (10.6-24.2)	Yes
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	3.2 (2.1-4.8)	3.6 (2.4-5.5)	5.0 (3.5-7.2)	20.8 (13.3-31.0)	Yes
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	13.1 (10.8-15.7)	22.5 (18.0-27.6)	24.0 (19.2-29.6)	46.1 (34.3-58.3)	Yes
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	0.9 (0.4-1.9)	1.9 (0.9-3.7)	2.6 (1.5-4.6)	13.2 (6.5-24.9)	Yes
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	4.6 (3.4-6.2)	6.4 (4.1-9.7)	6.5 (4.7-9.1)	29.7 (20.4-40.9)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	6.4 (4.6-8.7)	6.0 (4.4-8.3)	9.8 (6.6-14.3)	11.7 (5.7-22.5)	Yes
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	7.3 (5.2-10.1)	6.6 (4.4-9.7)	7.8 (4.4-13.7)	14.6 (5.8-32.5)	No
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	11.2 (8.2-15.2)	8.4 (5.4-12.7)	13.8 (8.8-20.9)	13.6 (6.0-28.0)	No
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	17.5 (13.9-21.7)	15.8 (13.5-18.4)	14.8 (11.5-18.9)	20.5 (14.4-28.3)	No
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	14.9 (11.9-18.6)	13.4 (10.6-16.9)	13.3 (10.0-17.4)	17.7 (10.6-27.9)	No
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	22.8 (19.5-26.5)	30.2 (26.2-34.6)	39.5 (34.5-44.8)	43.4 (32.9-54.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of st	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	15.7 (13.6-18.1)	13.7 (10.9-17.2)	20.6 (16.5-25.3)	28.0 (18.4-40.3)	Yes
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	7.6 (5.9-9.6)	6.2 (4.3-8.9)	12.2 (8.3-17.5)	26.9 (17.5-38.9)	Yes
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.4 (0.1-0.9)	1.5 (0.8-3.2)	3.5 (1.9-6.1)	14.5 (8.1-24.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	17.9 (14.8-21.5)	29.7 (25.5-34.1)	33.9 (29.2-38.9)	51.0 (40.5-61.4)	Yes
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	4.2 (3.1-5.7)	4.4 (2.9-6.4)	6.6 (4.6-9.4)	25.1 (16.5-36.1)	Yes
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	4.5 (3.1-6.4)	7.1 (5.6-9.1)	10.2 (7.0-14.6)	17.9 (12.0-26.0)	Yes
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	1.1 (0.5-2.2)	1.0 (0.5-2.2)	1.1 (0.4-2.9)	7.5 (2.7-19.2)	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.8 (0.4-1.9)	0.9 (0.4-2.1)	0.5 (0.2-1.7)	2.9 (0.9-9.1)	No
QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)	11.7 (3.4-33.4)	0.0	3.5 (0.8-13.9)	-	
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	40.1 (26.8-55.0)	35.7 (22.0-52.3)	33.4 (20.7-49.0)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Tobacco Use

Tobacco Use	Percentage of s	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	33.0 (28.8-37.6)	49.5 (44.6-54.5)	61.3 (55.8-66.5)	62.9 (53.1-71.8)	Yes
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	15.7 (12.9-18.9)	23.7 (19.8-28.2)	28.9 (23.7-34.8)	36.1 (27.8-45.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	53.2 (47.0-59.2)	59.7 (54.8-64.4)	61.3 (56.0-66.3)	67.3 (55.9-77.0)	Yes
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	11.7 (9.4-14.4)	14.8 (11.6-18.6)	16.7 (13.7-20.2)	36.3 (26.8-47.1)	Yes
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	22.1 (18.7-25.9)	25.6 (21.2-30.6)	28.8 (24.1-34.0)	41.9 (29.5-55.4)	Yes
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	10.5 (8.4-13.2)	12.2 (9.6-15.4)	16.0 (12.1-20.7)	26.9 (18.0-38.3)	Yes
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	1.6 (0.8-3.1)	2.4 (1.5-3.9)	3.5 (2.1-6.0)	11.2 (5.4-21.7)	Yes
QN47: Percentage of students who ever used marijuana (one or more times during their life)	26.8 (22.4-31.7)	39.3 (35.2-43.6)	46.3 (41.1-51.5)	60.2 (49.0-70.5)	Yes
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	4.5 (3.3-6.1)	6.1 (4.5-8.2)	10.7 (8.1-14.0)	29.9 (21.1-40.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	12.9 (10.6-15.8)	19.7 (16.5-23.3)	23.0 (19.4-27.0)	41.2 (29.2-54.4)	Yes
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	4.4 (3.1-6.2)	3.9 (2.5-6.0)	6.1 (4.2-8.6)	20.0 (13.0-29.4)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	5.5 (3.9-7.7)	6.6 (4.9-8.9)	4.9 (2.8-8.5)	21.5 (13.1-33.3)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	1.8 (1.0-3.0)	1.1 (0.6-2.1)	2.7 (1.3-5.8)	16.3 (11.0-23.3)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	2.3 (1.5-3.4)	2.0 (1.1-3.6)	5.2 (3.2-8.3)	19.0 (13.0-26.8)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	5.5 (4.0-7.5)	5.7 (4.0-8.0)	8.9 (6.6-12.0)	19.4 (12.4-29.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	4.5 (3.1-6.4)	7.4 (5.4-10.1)	13.4 (9.9-17.8)	23.8 (15.6-34.4)	Yes
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	1.9 (1.1-3.0)	1.8 (1.0-3.2)	2.9 (1.6-5.2)	15.4 (9.4-24.3)	Yes
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	11.4 (9.2-14.0)	13.7 (10.7-17.4)	14.9 (11.6-19.0)	27.7 (19.7-37.4)	Yes
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	1.0 (0.7-1.6)	1.3 (0.6-2.8)	2.3 (1.0-5.2)	14.5 (8.3-24.1)	Yes
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	24.7 (21.8-27.8)	27.6 (24.6-30.8)	30.8 (26.7-35.3)	44.1 (33.8-55.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Total Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	24.5 (20.1-29.4)	34.5 (28.9-40.7)	41.2 (34.9-47.8)	46.5 (32.8-60.8)	Yes
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	2.4 (1.2-4.6)	2.3 (1.3-3.9)	3.6 (2.1-6.2)	15.5 (7.8-28.4)	Yes
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	4.3 (3.1-6.1)	6.3 (4.1-9.5)	9.2 (6.9-12.2)	20.1 (11.5-32.8)	Yes
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	17.2 (13.6-21.7)	25.0 (20.4-30.4)	26.3 (20.6-33.0)	37.4 (25.1-51.6)	Yes
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	20.4 (13.5-29.6)	15.3 (11.1-20.6)	20.0 (12.8-29.7)	35.2 (16.5-59.9)	No
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	60.6 (52.1-68.6)	60.1 (53.0-66.9)	55.9 (47.1-64.4)	52.5 (31.1-73.0)	No
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	14.7 (9.9-21.2)	23.6 (17.4-31.1)	15.0 (8.7-24.6)	8.7 (2.5-26.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	2.9 (1.0-8.5)	2.4 (0.8-6.6)	0.0	0.0	Yes
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	5.0 (2.0-11.6)	3.3 (1.4-7.5)	7.9 (4.3-14.3)	2.2 (0.3-14.1)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	22.6 (16.3-30.4)	29.2 (21.9-37.7)	22.9 (15.5-32.5)	11.0 (3.9-27.4)	No
QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	4.6 (2.3-9.2)	6.0 (3.0-11.6)	7.2 (3.3-15.2)	0.0	Yes
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	11.0 (6.7-17.5)	9.4 (5.1-16.6)	16.1 (10.1-24.7)	23.5 (11.6-41.8)	No
QN67: Percentage of students who had sexual contact with females, males, or females and males	44.1 (38.6-49.9)	53.5 (48.8-58.1)	57.5 (52.8-62.1)	67.3 (54.5-78.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN68: Percentage of students who described themselves as gay or lesbian or bisexual	8.0 (6.8-9.4)	6.8 (4.8-9.4)	8.5 (5.7-12.6)	15.7 (8.4-27.6)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart <sup>§</sup>	7.8 (6.3-9.6)	10.0 (7.8-12.8)	18.8 (15.1-23.1)	20.9 (14.2-29.6)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart§	14.2 (11.9-16.9)	15.7 (12.8-19.1)	20.5 (15.7-26.3)	27.7 (18.6-39.2)	No
QN69: Percentage of students who described themselves as slightly or very overweight	30.0 (26.6-33.6)	32.4 (28.3-36.7)	35.5 (30.0-41.3)	43.5 (32.6-55.0)	No
QN70: Percentage of students who were trying to lose weight	45.5 (42.0-49.0)	48.7 (43.6-53.8)	49.8 (44.5-55.2)	49.7 (39.3-60.1)	No
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	27.1 (24.2-30.1)	22.2 (18.5-26.4)	25.9 (21.5-30.8)	24.2 (17.6-32.2)	No
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	6.4 (4.5-8.8)	7.3 (5.3-10.0)	10.2 (7.9-13.1)	19.0 (11.8-29.1)	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	3.3 (2.2-5.0)	3.0 (1.9-4.6)	3.9 (2.4-6.3)	11.1 (6.3-18.8)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. 
† Confidence interval.

<sup>§</sup> Based on reference data from the 2000 CDC Growth Charts.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	69.1 (64.3-73.6)	64.0 (59.6-68.1)	60.1 (54.5-65.5)	60.9 (49.9-70.8)	Yes
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	36.6 (31.5-42.0)	30.6 (26.1-35.5)	33.2 (27.4-39.6)	25.5 (16.2-37.7)	Yes
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	21.0 (16.4-26.6)	19.7 (16.1-23.8)	20.4 (15.8-25.8)	18.0 (10.7-28.6)	No
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	29.9 (26.7-33.4)	32.9 (28.4-37.7)	39.3 (34.1-44.7)	55.8 (44.8-66.2)	Yes
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	38.6 (34.8-42.6)	40.5 (35.9-45.3)	43.6 (38.9-48.3)	50.2 (40.0-60.4)	Yes
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	38.4 (35.0-41.9)	46.2 (41.7-50.7)	52.5 (46.7-58.3)	53.7 (44.7-62.4)	Yes
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	13.2 (10.8-16.2)	17.0 (13.1-21.7)	23.4 (19.3-28.2)	32.7 (24.0-42.8)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	3.9 (2.8-5.2)	4.7 (3.1-6.9)	7.1 (4.9-10.0)	17.4 (10.8-26.7)	Yes
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	67.8 (63.8-71.5)	59.0 (54.4-63.4)	54.9 (49.8-60.0)	40.4 (31.0-50.5)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	30.3 (26.5-34.3)	26.7 (22.8-30.9)	22.7 (17.9-28.2)	15.1 (8.8-24.7)	No
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	13.0 (10.1-16.5)	13.4 (10.3-17.3)	12.3 (8.4-17.7)	8.7 (4.1-17.4)	No
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	42.9 (39.4-46.4)	32.9 (29.6-36.3)	25.8 (21.1-31.2)	21.5 (13.1-33.1)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	5.2 (3.8-7.0)	10.9 (8.8-13.4)	12.3 (9.3-16.1)	23.1 (14.8-34.1)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	2.9 (1.9-4.4)	5.8 (4.5-7.4)	8.0 (5.6-11.4)	20.8 (13.0-31.6)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	1.1 (0.5-2.3)	3.9 (2.8-5.4)	4.9 (3.1-7.6)	16.7 (9.5-27.6)	Yes
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	20.9 (17.6-24.6)	23.1 (18.8-28.0)	21.0 (17.0-25.5)	28.3 (18.4-40.9)	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	32.7 (28.5-37.2)	29.2 (26.1-32.5)	29.9 (25.1-35.1)	27.5 (19.5-37.3)	No
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	16.9 (13.2-21.3)	17.6 (14.9-20.6)	18.8 (15.1-23.3)	19.5 (13.2-27.8)	No
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	7.3 (5.6-9.5)	7.1 (5.0-10.1)	8.3 (6.0-11.5)	10.9 (6.1-18.9)	No
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	8.4 (6.8-10.4)	12.4 (9.6-16.0)	19.6 (16.1-23.7)	25.0 (16.3-36.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Total Dietary Behaviors** Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school Significant B's C's D's/F's A's Association\* **%** % % % **Health Risk Behavior** 95% CI<sup>†</sup> 95% CI 95% CI 95% CI QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the 48.0 33.3 26.6 16.4 Yes survey) (43.1-52.9)(29.5-37.4)(22.8-30.8)(10.6-24.4)

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	57.8 (52.2-63.2)	49.1 (44.8-53.6)	43.8 (37.9-49.9)	30.4 (23.0-38.9)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	10.6 (8.4-13.4)	13.6 (10.9-16.9)	12.0 (8.7-16.2)	33.0 (23.4-44.3)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	30.7 (25.7-36.1)	26.4 (22.3-30.9)	21.9 (17.1-27.7)	13.6 (8.7-20.6)	Yes
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	15.7 (13.3-18.4)	20.6 (17.7-23.8)	22.9 (18.3-28.2)	35.3 (26.4-45.3)	Yes
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	38.3 (34.0-42.8)	49.6 (45.1-54.1)	49.3 (43.7-54.8)	58.9 (49.1-68.1)	Yes
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	58.9 (48.0-68.9)	58.5 (49.8-66.8)	58.7 (50.3-66.6)	62.1 (50.4-72.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	43.6 (34.9-52.8)	40.8 (34.6-47.4)	44.6 (36.4-53.1)	34.3 (25.8-44.0)	No
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	61.1 (56.5-65.4)	52.7 (48.5-56.8)	52.4 (46.5-58.3)	40.0 (30.6-50.4)	Yes
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	30.1 (25.0-35.9)	27.7 (23.5-32.3)	26.1 (21.8-30.9)	20.5 (13.7-29.6)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Total** Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI		% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	8.9 (6.8-11.4)	12.8 (10.7-15.2)	15.5 (12.4-19.1)	14.1 (7.6-24.6)	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	78.4 (74.7-81.6)	69.9 (65.5-73.9)	64.4 (58.7-69.7)	41.5 (31.2-52.7)	Yes
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	16.8 (14.3-19.6)	20.5 (17.2-24.2)	21.2 (17.3-25.6)	22.6 (14.2-33.9)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	8.0 (6.0-10.6)	5.5 (3.9-7.6)	9.1 (6.2-13.2)	18.1 (11.4-27.6)	Yes
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	11.3 (9.1-14.0)	10.8 (8.8-13.2)	10.0 (7.7-13.0)	27.6 (19.3-37.9)	Yes
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	19.6 (16.5-23.1)	21.3 (18.6-24.3)	18.9 (15.4-23.0)	28.7 (19.4-40.2)	No
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	13.0 (11.1-15.3)	15.8 (12.8-19.4)	10.4 (8.0-13.3)	24.7 (15.6-36.9)	Yes
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	2.2 (1.6-3.1)	2.1 (1.3-3.3)	3.4 (2.0-5.7)	9.3 (3.7-21.8)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	17.7 (14.8-21.0)	16.4 (13.3-20.0)	23.6 (18.6-29.4)	26.1 (14.9-41.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who responded that a drug sniffing dog on their campus would make them feel quite a bit or somewhat safer	42.5 (38.4-46.6)	39.1 (34.9-43.4)	42.9 (38.3-47.6)	37.1 (28.4-46.8)	No
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	11.6 (8.2-16.4)	11.9 (8.9-15.6)	17.3 (11.3-25.7)	20.1 (9.6-37.4)	Yes
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	1.8 (1.2-2.7)	1.6 (0.8-2.9)	4.4 (2.9-6.7)	11.6 (6.4-19.9)	Yes
QN99: Percentage of students who have ever participated in oral sex	30.8 (26.5-35.5)	39.2 (34.4-44.2)	39.2 (33.4-45.3)	47.4 (35.2-60.0)	Yes
QN100: Percentage of students who are transgender	1.7 (0.9-3.2)	2.0 (1.1-3.5)	3.4 (2.1-5.4)	5.3 (2.0-13.1)	Yes
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	9.2 (7.1-11.8)	13.6 (11.0-16.9)	11.4 (8.2-15.6)	15.8 (8.6-27.3)	Yes
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	90.4 (88.5-92.0)	87.6 (84.4-90.2)	82.0 (77.6-85.8)	69.7 (60.3-77.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Total

Site-Added	Percentage of s	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	3.3 (2.3-4.7)	2.7 (1.6-4.3)	5.0 (3.0-8.3)	6.6 (2.9-14.0)	No
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	37.1 (32.6-41.8)	39.0 (34.5-43.7)	46.3 (41.0-51.7)	37.5 (26.3-50.1)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	64.0 (57.7-69.9)	72.6 (64.8-79.2)	92.0 (85.9-95.5)	86.6 (72.2-94.1)	Yes
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	7.9 (5.0-12.3)	2.7 (1.5-4.9)	6.6 (4.1-10.2)	14.6 (7.6-26.3)	Yes
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	17.5 (13.6-22.3)	17.4 (13.8-21.7)	21.3 (16.1-27.6)	34.3 (24.5-45.7)	Yes
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	9.0 (5.2-15.1)	8.7 (5.3-13.9)	6.3 (2.5-15.0)	29.1 (16.0-47.0)	Yes
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	38.8 (30.9-47.3)	32.2 (23.6-42.3)	24.3 (14.7-37.6)	46.7 (29.6-64.7)	No
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	14.2 (10.6-18.7)	13.3 (9.8-17.7)	19.2 (13.8-26.0)	33.9 (22.6-47.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	5.5 (3.2-9.4)	1.7 (0.7-3.9)	4.4 (2.6-7.4)	20.0 (11.0-33.7)	Yes
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	4.7 (2.8-7.7)	2.3 (1.2-4.4)	2.8 (1.2-6.4)	25.8 (15.3-40.1)	Yes
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	3.5 (1.7-7.0)	2.7 (1.4-4.9)	4.7 (2.5-8.8)	14.3 (7.6-25.4)	Yes
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	4.6 (2.7-7.6)	3.8 (2.2-6.2)	6.9 (4.6-10.2)	24.4 (14.4-38.2)	Yes
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	19.4 (15.5-24.0)	28.2 (22.6-34.6)	32.4 (25.9-39.7)	49.8 (37.8-61.8)	Yes
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	1.4 (0.5-4.3)	1.8 (0.8-4.0)	3.5 (1.9-6.3)	16.1 (7.1-32.5)	Yes
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	8.9 (6.3-12.6)	8.9 (5.4-14.2)	8.5 (5.6-12.7)	35.9 (23.3-50.9)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.0 (4.5-10.5)	2.7 (1.4-5.0)	5.9 (3.3-10.3)	12.3 (5.4-25.9)	Yes
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	6.6 (3.6-11.8)	3.9 (2.1-7.2)	5.3 (2.6-10.6)	18.4 (6.4-42.6)	No
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	8.7 (5.7-13.0)	2.3 (1.1-4.9)	7.0 (3.4-13.8)	6.6 (1.3-28.2)	Yes
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	15.5 (11.0-21.4)	12.0 (8.9-16.0)	13.1 (9.3-18.2)	21.5 (13.9-31.6)	Yes
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	11.7 (8.2-16.3)	9.3 (6.7-12.8)	9.2 (6.0-13.8)	19.1 (10.4-32.5)	Yes
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	15.1 (11.5-19.5)	17.9 (14.1-22.5)	28.1 (23.1-33.8)	28.0 (18.3-40.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male

Chimeentional Injuries, violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	12.0 (8.7-16.4)	8.4 (5.8-12.0)	16.3 (11.8-22.1)	21.5 (13.0-33.4)	Yes
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	5.8 (3.6-9.1)	4.3 (2.4-7.8)	7.4 (4.2-12.8)	25.0 (16.0-36.9)	Yes
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.5 (0.1-1.5)	1.0 (0.3-3.1)	2.0 (0.8-4.6)	12.8 (6.7-23.1)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Tobacco Use

Tobacco esc	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	19.3 (15.2-24.2)	27.5 (22.3-33.4)	35.8 (29.7-42.4)	53.4 (41.5-64.9)	Yes
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	7.3 (5.0-10.5)	3.5 (2.1-6.0)	8.1 (5.5-11.7)	27.8 (17.5-41.2)	Yes
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	6.3 (4.4-9.1)	6.0 (3.8-9.4)	11.2 (7.8-15.9)	20.9 (13.2-31.5)	Yes
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	2.6 (1.2-5.3)	1.0 (0.4-2.7)	1.2 (0.4-4.1)	10.2 (3.7-25.3)	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	2.0 (0.9-4.6)	0.9 (0.3-2.6)	0.6 (0.1-2.5)	4.0 (1.3-11.8)	Yes
QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)	-	-	-	-	
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	-	-	-	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male

Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	36.4 (30.2-43.1)	48.8 (43.1-54.6)	63.9 (56.6-70.5)	67.8 (57.5-76.5)	Yes
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	21.3 (16.7-26.7)	25.0 (19.8-30.9)	31.6 (24.9-39.1)	41.9 (30.3-54.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	50.2 (42.2-58.3)	53.3 (46.7-59.7)	58.4 (51.0-65.4)	63.3 (50.9-74.2)	No
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	13.2 (9.6-17.9)	14.4 (10.8-19.0)	19.4 (15.1-24.4)	43.1 (31.0-56.0)	Yes
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	22.6 (18.2-27.8)	21.3 (15.9-27.8)	27.4 (21.5-34.2)	41.9 (28.8-56.2)	Yes
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	14.1 (10.7-18.4)	11.4 (8.0-15.9)	15.3 (11.2-20.4)	30.7 (20.8-42.8)	Yes
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	3.2 (1.5-6.6)	3.1 (1.6-6.0)	4.1 (2.5-6.7)	14.3 (6.9-27.4)	Yes
QN47: Percentage of students who ever used marijuana (one or more times during their life)	29.8 (24.7-35.4)	36.8 (30.6-43.4)	49.1 (42.9-55.2)	64.5 (53.2-74.3)	Yes
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	9.5 (6.8-13.1)	6.2 (4.2-9.0)	14.3 (10.5-19.2)	39.4 (27.6-52.6)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	18.0 (14.2-22.5)	18.7 (14.6-23.6)	24.0 (19.4-29.3)	46.0 (33.0-59.6)	Yes
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	7.0 (4.7-10.3)	5.3 (3.2-8.8)	7.7 (5.0-11.6)	28.0 (17.8-41.1)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	6.9 (5.0-9.6)	6.1 (3.9-9.4)	4.2 (2.2-7.7)	24.9 (15.6-37.3)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	4.2 (2.5-7.1)	1.7 (0.8-3.3)	2.6 (1.1-6.0)	22.6 (15.5-31.8)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	4.2 (2.6-6.7)	3.1 (1.6-5.8)	4.4 (2.6-7.6)	26.4 (17.8-37.3)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	7.3 (5.1-10.5)	6.0 (3.5-10.3)	9.8 (6.7-14.2)	22.2 (15.2-31.2)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	6.3 (4.2-9.2)	8.7 (6.2-12.1)	11.9 (8.7-16.1)	28.2 (17.0-42.9)	Yes
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	3.2 (2.0-5.2)	2.0 (1.0-4.1)	2.2 (1.1-4.4)	19.8 (11.8-31.4)	Yes
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	14.4 (11.9-17.4)	14.7 (10.7-19.8)	17.6 (13.2-23.1)	30.9 (22.0-41.5)	Yes
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	2.5 (1.6-3.8)	1.7 (0.6-4.4)	2.6 (1.1-6.0)	18.7 (10.6-30.8)	Yes
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	26.6 (22.3-31.4)	28.5 (23.9-33.7)	32.2 (26.0-39.0)	45.7 (34.1-57.8)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	29.3 (23.7-35.5)	34.7 (28.2-41.7)	47.2 (40.6-53.9)	50.7 (35.5-65.8)	Yes
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	4.9 (2.5-9.4)	2.9 (1.4-5.6)	5.3 (2.9-9.3)	20.3 (9.9-37.0)	Yes
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	7.7 (5.4-10.9)	7.9 (4.7-12.9)	12.8 (9.5-17.2)	26.9 (15.6-42.3)	Yes
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	19.4 (15.3-24.2)	23.7 (18.3-30.1)	31.5 (24.7-39.3)	40.3 (27.4-54.7)	Yes
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	28.4 (19.5-39.4)	12.8 (7.2-22.0)	19.5 (12.0-30.0)	-	
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	60.9 (46.4-73.7)	61.5 (50.8-71.2)	59.9 (45.7-72.6)	-	
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	13.0 (6.5-24.2)	24.5 (15.1-37.2)	13.6 (6.7-25.5)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	3.4 (0.5-20.7)	1.3 (0.2-8.9)	0.0	-	
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	3.7 (0.5-23.0)	2.8 (0.8-8.8)	5.0 (2.0-11.8)	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	20.1 (10.5-34.9)	28.6 (18.8-40.9)	18.6 (10.7-30.3)	-	
QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	1.8 (0.2-11.9)	3.5 (1.0-11.0)	5.1 (2.0-12.3)	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	13.3 (6.6-25.0)	8.4 (4.2-16.3)	12.1 (4.7-28.0)	-	
QN67: Percentage of students who had sexual contact with females, males, or females and males	48.7 (41.7-55.8)	54.3 (48.1-60.3)	63.2 (57.8-68.2)	69.2 (54.7-80.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN68: Percentage of students who described themselves as gay or lesbian or bisexual	4.7 (3.1-7.2)	3.2 (1.8-5.5)	5.1 (2.7-9.3)	9.8 (4.4-20.3)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male **Dietary Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart§	12.1 (9.0-16.0)	12.7 (9.8-16.2)	20.9 (14.9-28.6)	20.8 (12.5-32.7)	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart§	12.8 (10.0-16.3)	15.3 (11.9-19.4)	16.2 (11.1-23.1)	27.8 (16.1-43.5)	No
QN69: Percentage of students who described themselves as slightly or very overweight	22.0 (18.6-25.8)	26.3 (22.0-31.1)	33.0 (25.2-41.7)	40.7 (30.3-52.1)	Yes
QN70: Percentage of students who were trying to lose weight	28.1 (23.0-33.8)	35.9 (30.5-41.8)	41.2 (34.1-48.7)	45.0 (32.5-58.3)	No
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	20.7 (16.4-25.6)	18.9 (14.5-24.3)	22.5 (17.2-28.9)	21.3 (13.7-31.6)	No
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	7.6 (4.9-11.6)	6.2 (4.3-9.1)	13.7 (9.9-18.6)	24.3 (14.8-37.3)	Yes
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	2.8 (1.4-5.4)	2.7 (1.5-4.6)	5.3 (2.9-9.4)	14.4 (8.0-24.6)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>§</sup> Based on reference data from the 2000 CDC Growth Charts.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	72.1 (65.4-78.0)	66.9 (61.9-71.4)	64.0 (58.5-69.2)	61.3 (47.9-73.2)	No
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	39.8 (33.1-46.9)	33.4 (28.8-38.3)	36.1 (29.9-42.7)	23.0 (13.4-36.7)	No
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	24.2 (18.5-31.0)	22.0 (17.6-27.2)	20.7 (16.0-26.3)	15.2 (8.6-25.5)	No
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	31.4 (27.3-35.7)	33.6 (27.4-40.5)	46.5 (39.1-54.0)	58.0 (46.2-68.9)	Yes
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	36.6 (32.1-41.3)	32.4 (26.5-38.9)	43.2 (36.8-49.8)	46.8 (34.2-59.8)	No
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	35.8 (30.5-41.5)	44.7 (39.2-50.4)	55.4 (48.6-61.9)	52.2 (42.3-62.0)	Yes
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	14.5 (11.3-18.3)	15.7 (11.5-21.2)	25.4 (20.1-31.6)	33.6 (23.5-45.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	5.1 (3.4-7.6)	4.3 (2.9-6.5)	10.0 (6.6-14.8)	20.9 (12.4-32.9)	Yes
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	68.6 (62.8-73.9)	61.5 (54.7-67.8)	52.5 (46.0-59.0)	40.4 (29.1-52.7)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	34.5 (28.3-41.2)	28.5 (23.0-34.8)	20.3 (15.6-26.0)	18.6 (10.6-30.7)	Yes
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	15.3 (11.0-20.9)	14.4 (10.1-20.1)	10.8 (6.9-16.4)	10.4 (4.6-21.9)	No
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	33.0 (28.1-38.2)	29.3 (25.0-34.0)	24.1 (18.8-30.4)	19.8 (11.0-33.0)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	6.3 (4.5-8.7)	14.4 (11.3-18.2)	17.1 (12.8-22.5)	25.9 (15.4-40.2)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	3.7 (2.1-6.3)	7.7 (5.7-10.3)	11.4 (7.7-16.6)	25.3 (14.8-39.6)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	1.8 (0.7-5.0)	4.8 (3.3-6.9)	7.5 (4.8-11.7)	21.0 (11.4-35.4)	Yes
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	15.9 (11.4-21.8)	16.5 (12.4-21.7)	15.6 (11.6-20.5)	24.8 (14.3-39.4)	No
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	41.5 (34.8-48.4)	39.2 (34.8-43.9)	37.8 (31.1-44.9)	34.9 (24.2-47.5)	No
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	27.3 (21.8-33.6)	25.0 (21.0-29.5)	26.4 (21.3-32.2)	25.3 (16.9-36.0)	No
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	11.7 (8.3-16.3)	10.5 (7.4-14.7)	11.3 (8.1-15.4)	13.4 (7.0-24.2)	No
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	9.1 (6.7-12.3)	12.9 (10.0-16.4)	20.5 (15.5-26.6)	28.9 (18.6-42.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male **Dietary Behaviors** Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school Significant B's C's D's/F's A's Association\* **%** % % %

95% CI<sup>†</sup> 95% CI 95% CI 95% CI QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the 50.1 39.2 26.8 19.1 Yes survey) (42.8-57.3)(33.9-44.6)(22.1-32.2)(11.7-29.5)

**Health Risk Behavior** 

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male **Physical Activity** 

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	65.8 (59.0-72.0)	61.7 (56.8-66.5)	49.2 (41.4-57.1)	33.3 (24.9-42.9)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	8.7 (6.1-12.2)	8.8 (6.3-12.3)	11.7 (7.8-17.0)	29.9 (21.0-40.6)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	41.6 (33.8-50.0)	37.5 (31.5-43.8)	26.7 (20.8-33.7)	16.5 (10.4-25.3)	Yes
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	13.2 (9.9-17.5)	20.4 (16.6-24.8)	24.2 (18.3-31.2)	41.8 (30.4-54.1)	Yes
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	36.9 (30.6-43.7)	45.8 (40.3-51.4)	47.1 (39.8-54.6)	55.1 (41.1-68.4)	Yes
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	57.6 (46.3-68.2)	63.3 (55.0-70.9)	59.2 (50.0-67.8)	63.8 (51.5-74.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Physical Activity

Thysical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	43.3 (34.5-52.5)	48.1 (41.3-54.9)	46.2 (37.4-55.3)	33.0 (21.7-46.7)	Yes
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	68.8 (61.6-75.1)	61.3 (55.7-66.6)	58.1 (51.6-64.3)	44.9 (32.6-57.9)	Yes
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	36.1 (28.3-44.8)	32.9 (28.1-38.1)	28.9 (22.6-36.0)	24.6 (16.3-35.2)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	9.7 (6.7-14.0)	10.6 (8.3-13.4)	15.4 (11.3-20.6)	15.3 (7.5-28.5)	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	76.5 (72.1-80.4)	71.1 (66.4-75.4)	64.1 (57.1-70.5)	40.8 (29.5-53.2)	Yes
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	17.8 (13.6-23.0)	21.5 (17.5-26.2)	22.2 (17.4-27.7)	23.6 (14.0-37.0)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Site-Added

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	9.5 (6.9-12.8)	3.1 (2.0-4.7)	5.0 (2.9-8.4)	18.7 (10.8-30.5)	Yes
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	11.0 (7.9-15.1)	11.4 (8.6-15.0)	11.7 (8.3-16.3)	32.4 (22.5-44.3)	Yes
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	15.9 (12.6-20.0)	14.9 (11.6-19.0)	18.4 (14.3-23.2)	28.9 (17.6-43.7)	No
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	11.0 (7.9-15.0)	12.2 (8.6-17.1)	9.6 (6.2-14.5)	26.0 (16.8-37.9)	Yes
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	2.2 (1.1-4.2)	0.9 (0.4-2.3)	4.8 (2.9-7.8)	11.4 (4.1-27.9)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	11.5 (8.3-15.5)	8.4 (5.9-11.8)	16.1 (11.7-21.8)	17.7 (8.0-35.0)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who responded that a drug sniffing dog on their campus would make them feel quite a bit or somewhat safer	39.5 (34.7-44.6)	39.4 (34.7-44.4)	41.3 (34.5-48.4)	34.8 (24.6-46.7)	No
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	8.7 (4.7-15.5)	6.2 (3.3-11.4)	13.1 (7.5-21.9)	16.6 (6.8-35.5)	No
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	2.7 (1.4-5.1)	1.4 (0.6-3.3)	4.8 (3.0-7.7)	15.3 (8.2-26.8)	Yes
QN99: Percentage of students who have ever participated in oral sex	36.6 (30.6-43.0)	38.9 (32.7-45.6)	42.1 (35.8-48.6)	51.3 (37.3-65.1)	No
QN100: Percentage of students who are transgender	1.4 (0.5-3.5)	1.8 (0.8-4.3)	3.0 (1.5-5.7)	7.3 (2.8-18.1)	Yes
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	10.1 (7.4-13.6)	10.5 (7.7-14.1)	13.8 (9.6-19.4)	15.3 (7.5-28.9)	No
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	90.4 (87.1-93.0)	88.5 (84.2-91.8)	82.9 (76.8-87.6)	67.5 (56.7-76.6)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Male

Site-Added	Percentage of st	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	3.9 (2.4-6.3)	2.6 (1.5-4.4)	4.2 (2.2-7.9)	8.2 (3.5-18.0)	No
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	38.7 (32.6-45.2)	36.1 (30.7-41.7)	45.5 (38.9-52.2)	44.6 (30.5-59.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

#### **Female**

**Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	60.4 (51.7-68.5)	73.7 (64.8-81.1)	83.8 (71.2-91.5)	-	
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	1.8 (0.9-3.5)	2.3 (1.0-5.4)	6.1 (3.1-11.6)	1.9 (0.3-12.8)	No
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	17.1 (13.5-21.5)	22.1 (15.8-29.9)	28.7 (21.4-37.2)	27.5 (12.9-49.1)	No
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	3.3 (1.4-7.7)	3.7 (1.3-9.9)	8.1 (2.5-23.2)	-	
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	36.7 (27.3-47.4)	37.0 (26.2-49.3)	20.4 (9.8-37.7)	-	
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	2.9 (1.5-5.4)	5.7 (2.9-10.9)	4.9 (2.5-9.3)	10.1 (3.5-25.9)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** 

**Unintentional Injuries/Violence** 

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	0.0	0.6 (0.1-2.7)	1.0 (0.2-4.1)	2.6 (0.4-16.5)	Yes
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	0.0	3.1 (1.1-8.6)	2.3 (1.0-5.4)	3.6 (0.9-13.7)	No
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	2.3 (1.3-4.1)	3.7 (1.9-7.1)	9.9 (6.4-15.1)	21.4 (10.2-39.5)	Yes
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	2.1 (1.1-3.9)	3.4 (1.7-6.8)	2.5 (0.8-7.1)	11.5 (4.0-29.0)	No
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	8.5 (6.0-11.8)	15.3 (10.0-22.9)	12.2 (7.6-19.1)	36.6 (17.3-61.4)	Yes
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	0.5 (0.1-2.3)	1.9 (0.6-6.2)	1.5 (0.5-4.8)	5.7 (1.8-16.7)	No
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	1.5 (0.7-3.2)	3.3 (1.7-6.0)	3.8 (1.7-8.3)	13.0 (4.5-32.4)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	5.8 (3.8-8.7)	10.2 (7.0-14.7)	15.4 (9.6-23.8)	10.1 (2.9-29.5)	Yes
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	7.5 (5.0-11.0)	10.0 (6.1-16.1)	11.2 (5.2-22.4)	-	
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	13.0 (8.8-18.9)	16.1 (10.0-24.8)	22.7 (13.5-35.4)	-	
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	18.8 (14.4-24.2)	20.6 (16.5-25.3)	17.3 (11.9-24.4)	18.2 (8.1-35.9)	No
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	17.2 (12.9-22.6)	18.2 (13.6-23.9)	19.0 (13.0-26.8)	13.9 (5.7-30.2)	No
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	28.5 (24.3-33.2)	45.7 (39.6-51.9)	55.6 (46.5-64.4)	81.6 (61.8-92.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** 

**Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	18.3 (14.6-22.8)	20.3 (15.3-26.5)	26.5 (19.4-35.1)	44.5 (26.5-64.1)	Yes
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	8.7 (6.2-12.0)	8.6 (5.5-13.2)	18.4 (12.3-26.6)	-	
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.3 (0.1-1.1)	2.3 (0.9-5.3)	5.4 (2.7-10.8)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** 

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	16.7 (13.0-21.2)	32.0 (26.6-37.9)	31.2 (23.7-39.8)	-	
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	1.9 (0.9-3.9)	5.0 (2.7-9.0)	4.5 (2.2-9.1)	-	
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.2 (1.8-5.7)	8.5 (5.8-12.4)	8.8 (4.6-16.1)	9.8 (4.0-22.2)	No
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	0.0	1.1 (0.4-3.0)	1.0 (0.2-4.1)	0.0	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	1.0 (0.3-3.0)	0.4 (0.1-2.9)	0.0	Yes
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	-	-	-	-	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	30.9 (25.2-37.1)	50.2 (42.4-57.9)	57.8 (50.1-65.1)	50.6 (31.7-69.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female

Tobacco Use	Percentage of s	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	11.7 (8.9-15.1)	21.9 (16.5-28.4)	25.4 (18.6-33.6)	21.6 (9.7-41.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	55.2 (48.7-61.5)	67.5 (61.3-73.1)	65.2 (55.1-74.2)	77.7 (57.2-90.1)	No
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	10.2 (7.6-13.7)	14.8 (9.3-22.9)	12.9 (9.1-18.0)	18.9 (7.0-42.0)	No
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	21.9 (18.0-26.3)	30.7 (25.6-36.2)	30.7 (22.7-40.1)	-	
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	8.0 (5.6-11.3)	12.9 (9.2-17.7)	16.9 (10.5-26.1)	17.7 (5.8-42.9)	No
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	0.5 (0.1-2.2)	1.6 (0.7-3.4)	2.7 (0.8-9.0)	-	
QN47: Percentage of students who ever used marijuana (one or more times during their life)	24.8 (19.2-31.5)	42.2 (36.2-48.5)	42.5 (32.6-53.0)	-	
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	0.9 (0.4-1.8)	6.0 (3.5-10.2)	5.8 (3.3-9.7)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	9.4 (6.9-12.7)	20.6 (16.2-25.8)	21.5 (14.6-30.5)	28.7 (14.6-48.8)	Yes
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	2.5 (1.3-4.9)	2.2 (1.1-4.3)	3.8 (1.9-7.5)	0.0	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	4.4 (2.6-7.4)	7.3 (4.6-11.4)	5.9 (2.8-12.0)	13.0 (2.9-42.5)	No
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	0.0	0.5 (0.1-2.0)	2.9 (1.0-8.0)	0.0	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	0.9 (0.4-2.1)	0.7 (0.2-2.1)	6.2 (2.9-12.5)	0.0	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	4.2 (2.5-7.1)	5.2 (3.7-7.3)	7.7 (4.1-13.9)	12.4 (3.0-39.1)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female Alcohol/Other Drug Use** 

Medical Drug ese	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	3.1 (1.6-5.8)	5.8 (3.6-9.3)	15.5 (9.8-23.8)	12.3 (4.6-28.9)	Yes
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	0.9 (0.3-2.8)	1.7 (0.6-4.3)	3.9 (1.5-9.7)	4.1 (1.0-15.4)	No
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	9.3 (6.6-13.0)	12.5 (9.1-16.8)	11.1 (6.5-18.5)	19.3 (7.0-43.3)	No
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	0.0	0.8 (0.2-2.5)	2.0 (0.6-6.6)	3.8 (0.6-22.1)	Yes
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	23.4 (19.1-28.4)	26.1 (21.5-31.2)	28.8 (21.7-37.2)	40.1 (23.4-59.4)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female Sexual Behaviors** 

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	21.0 (15.9-27.1)	34.1 (27.2-41.8)	33.4 (25.3-42.5)	-	
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	0.4 (0.1-1.4)	1.6 (0.7-3.8)	1.5 (0.3-6.9)	-	
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	1.9 (1.0-3.8)	4.3 (2.4-7.5)	4.4 (2.1-8.8)	-	
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	15.9 (11.3-21.8)	26.8 (20.7-33.9)	19.5 (12.3-29.6)	-	
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	13.5 (6.7-25.4)	17.9 (12.4-25.3)	20.9 (9.0-41.2)	-	
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	60.4 (47.2-72.3)	58.7 (48.4-68.3)	48.0 (32.5-63.9)	-	
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	16.2 (9.5-26.2)	22.6 (15.1-32.4)	17.9 (6.8-39.5)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	2.5 (1.2-5.0)	3.5 (1.0-11.4)	0.0	-	
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	6.1 (2.5-14.2)	3.8 (1.1-11.9)	14.0 (5.6-31.2)	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	24.8 (17.4-34.1)	29.9 (19.6-42.8)	31.9 (16.7-52.4)	-	
QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	7.1 (3.3-14.5)	8.7 (3.5-20.0)	11.6 (4.0-28.9)	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	8.9 (4.5-17.0)	10.4 (4.3-23.3)	24.6 (13.0-41.5)	-	
QN67: Percentage of students who had sexual contact with females, males, or females and males	40.5 (34.2-47.0)	52.3 (46.5-58.0)	49.8 (42.0-57.7)	62.1 (40.7-79.7)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female Sexual Behaviors	Percentage of s		ged in each risk b earned in school	oehavior, by type	_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN68: Percentage of students who described themselves as gay or lesbian or bisexual	10.1 (8.1-12.4)	11.3 (7.6-16.5)	13.3 (8.2-20.8)	30.9 (14.6-53.9)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart <sup>§</sup>	4.8 (3.3-6.8)	6.7 (3.9-11.4)	15.7 (10.8-22.3)	21.0 (9.0-41.7)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart§	15.2 (12.1-19.0)	16.2 (11.7-22.1)	26.6 (19.5-35.1)	27.6 (12.8-49.8)	No
QN69: Percentage of students who described themselves as slightly or very overweight	35.8 (30.4-41.6)	39.6 (32.8-46.9)	39.0 (30.2-48.5)	50.7 (31.2-69.9)	No
QN70: Percentage of students who were trying to lose weight	58.1 (53.0-63.1)	64.2 (57.3-70.5)	61.9 (53.9-69.4)	61.9 (40.7-79.4)	No
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	31.9 (27.9-36.1)	26.4 (21.1-32.5)	30.5 (23.6-38.5)	31.5 (16.2-52.2)	No
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	5.5 (3.3-8.9)	8.7 (5.4-13.9)	5.3 (2.8-9.5)	5.1 (1.2-18.8)	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	3.7 (2.3-5.9)	3.3 (1.6-6.6)	2.0 (0.6-6.4)	2.4 (0.3-16.5)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. 
† Confidence interval.

<sup>§</sup> Based on reference data from the 2000 CDC Growth Charts.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	66.7 (61.1-71.9)	60.3 (53.7-66.5)	54.8 (44.1-65.0)	59.7 (39.4-77.1)	Yes
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	34.1 (28.7-39.8)	27.2 (20.0-35.9)	29.3 (20.0-40.7)	31.9 (15.4-54.6)	No
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	18.4 (13.6-24.4)	16.7 (11.7-23.3)	19.9 (13.1-29.0)	25.0 (11.6-46.0)	No
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	28.8 (24.5-33.6)	31.7 (26.2-37.8)	29.2 (21.4-38.4)	49.9 (31.1-68.8)	No
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	40.4 (35.1-45.9)	50.9 (44.4-57.4)	44.1 (37.8-50.5)	59.0 (37.8-77.3)	Yes
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	40.5 (35.6-45.6)	48.1 (41.1-55.2)	48.5 (40.6-56.4)	57.4 (37.8-75.0)	No
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	12.4 (9.5-16.1)	18.6 (12.7-26.4)	20.7 (15.2-27.5)	30.5 (15.0-52.2)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	3.0 (1.8-5.0)	5.1 (2.6-9.6)	2.9 (1.2-6.9)	8.4 (3.1-20.8)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	66.9 (62.4-71.2)	55.8 (49.6-61.8)	58.4 (50.6-65.7)	40.3 (23.6-59.6)	Yes
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	27.3 (22.6-32.4)	24.5 (20.1-29.4)	26.1 (17.2-37.5)	6.1 (1.9-17.9)	No
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	11.4 (8.4-15.1)	12.2 (8.6-17.1)	14.4 (8.0-24.7)	4.3 (1.0-16.4)	No
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	50.3 (45.6-55.1)	37.5 (30.7-44.8)	28.1 (21.1-36.4)	25.9 (10.6-50.7)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	4.4 (2.9-6.6)	6.6 (4.0-10.8)	5.6 (3.2-9.6)	15.7 (6.4-33.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	2.4 (1.3-4.4)	3.4 (2.1-5.6)	3.3 (1.5-7.0)	9.3 (3.0-25.2)	No
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	0.5 (0.2-1.3)	2.8 (1.5-4.9)	1.3 (0.4-4.6)	5.6 (1.3-21.2)	No
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	24.3 (20.2-28.9)	31.4 (24.7-39.0)	28.5 (21.1-37.3)	37.4 (19.9-59.0)	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	26.5 (21.7-31.9)	16.8 (12.9-21.5)	18.8 (12.5-27.3)	8.3 (3.0-20.9)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	9.3 (6.0-14.2)	8.3 (5.6-12.2)	8.3 (4.3-15.3)	4.5 (1.0-17.1)	No
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	4.0 (2.6-6.2)	3.0 (1.5-6.0)	4.2 (2.0-8.8)	4.5 (1.0-17.1)	No
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	7.9 (5.6-11.0)	11.9 (7.8-17.8)	18.5 (12.9-25.7)	15.0 (5.7-34.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	46.5 (40.9-52.2)	26.2 (20.7-32.5)	26.4 (19.8-34.3)	9.4 (3.6-22.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	51.8 (45.3-58.1)	33.6 (26.2-41.8)	36.1 (29.2-43.7)	22.8 (8.9-47.3)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	12.1 (9.0-16.1)	19.7 (14.1-26.6)	12.4 (7.9-19.0)	41.1 (23.3-61.6)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	22.8 (18.7-27.5)	12.6 (8.8-17.9)	15.1 (9.6-22.8)	5.9 (1.7-18.6)	Yes
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	17.5 (14.4-21.1)	20.9 (16.4-26.2)	21.1 (14.2-30.1)	18.3 (8.6-34.7)	No
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	39.3 (34.0-45.0)	54.1 (47.5-60.5)	52.3 (43.2-61.2)	68.6 (50.6-82.3)	Yes
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	59.7 (48.1-70.4)	52.4 (41.0-63.6)	58.1 (46.3-68.9)	57.7 (36.2-76.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female Physical Activity** 

Thysical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	43.6 (34.2-53.6)	31.6 (23.5-40.9)	42.3 (31.0-54.5)	37.8 (22.3-56.4)	No
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	55.3 (50.1-60.4)	41.7 (34.9-48.9)	44.5 (35.4-54.0)	27.4 (15.3-44.1)	Yes
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	25.5 (20.9-30.7)	21.3 (16.8-26.7)	22.3 (16.5-29.3)	10.1 (3.9-23.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	8.3 (6.2-10.9)	15.7 (11.7-20.6)	15.5 (10.5-22.3)	10.9 (3.1-31.7)	Yes
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	79.8 (75.4-83.6)	68.2 (61.0-74.6)	64.8 (55.3-73.3)	43.4 (26.5-62.0)	Yes
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	15.8 (12.6-19.7)	18.8 (13.9-24.9)	19.8 (14.0-27.3)	19.7 (6.5-46.4)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	6.8 (4.6-10.0)	8.5 (5.5-13.0)	15.0 (9.2-23.5)	16.6 (5.3-41.4)	Yes
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	11.2 (7.9-15.7)	10.2 (7.3-14.0)	7.7 (4.6-12.5)	15.2 (6.3-32.5)	No
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	22.1 (17.2-28.0)	29.4 (24.8-34.5)	19.7 (14.3-26.5)	28.0 (13.9-48.3)	No
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	14.6 (11.5-18.5)	20.4 (15.4-26.5)	11.5 (7.7-16.8)	21.6 (8.0-46.6)	No
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	2.3 (1.4-3.8)	3.6 (2.0-6.5)	1.5 (0.4-5.3)	4.1 (0.5-25.7)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	22.1 (17.8-27.1)	26.6 (21.3-32.7)	34.1 (25.9-43.4)	47.1 (29.7-65.2)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

**Female** Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who responded that a drug sniffing dog on their campus would make them feel quite a bit or somewhat safer	44.5 (39.6-49.6)	38.8 (31.5-46.7)	45.1 (36.5-54.0)	42.9 (28.0-59.1)	No
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	14.0 (8.2-22.8)	19.3 (14.0-26.0)	26.0 (15.0-41.3)	-	
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	1.1 (0.5-2.6)	1.8 (0.8-4.1)	3.8 (1.5-9.1)	2.5 (0.3-17.1)	No
QN99: Percentage of students who have ever participated in oral sex	26.7 (21.7-32.4)	39.2 (32.2-46.8)	35.2 (26.8-44.5)	37.7 (21.7-57.1)	Yes
QN100: Percentage of students who are transgender	1.7 (0.8-3.9)	2.2 (1.0-4.8)	3.9 (1.8-8.5)	0.0	Yes
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	8.5 (5.9-11.9)	17.6 (12.9-23.5)	8.1 (4.8-13.5)	17.1 (6.8-36.8)	Yes
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	90.3 (87.7-92.3)	86.3 (81.4-90.1)	80.9 (73.1-86.8)	75.4 (55.5-88.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Female Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	2.6 (1.4-4.9)	2.3 (1.0-5.1)	6.3 (3.3-11.6)	2.4 (0.3-15.1)	No
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	36.1 (30.0-42.7)	42.4 (37.0-48.0)	47.5 (36.2-59.0)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	46.9 (38.4-55.6)	59.1 (47.4-69.8)	-	-	
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	2.6 (1.1-6.0)	2.1 (0.6-6.9)	6.1 (2.2-15.9)	-	
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	18.2 (13.4-24.2)	23.2 (17.1-30.6)	19.8 (9.2-37.8)	-	
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	7.7 (3.9-14.8)	11.0 (6.5-18.0)	-	-	
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	47.0 (36.4-57.9)	46.5 (33.9-59.4)	-	-	
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	8.9 (5.5-14.1)	10.0 (5.8-16.9)	18.0 (7.5-37.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	2.5 (1.2-5.4)	0.0	3.6 (0.8-14.8)	-	
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	2.4 (1.1-5.4)	2.8 (0.9-8.5)	1.1 (0.1-7.6)	-	
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	1.4 (0.4-4.1)	1.4 (0.3-7.2)	12.3 (5.3-25.9)	-	
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	2.7 (1.3-5.7)	1.7 (0.4-6.9)	11.8 (5.3-24.3)	-	
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	13.0 (9.2-18.0)	20.6 (13.3-30.4)	19.1 (9.8-33.7)	-	
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	0.0	1.2 (0.2-8.0)	6.7 (2.1-19.9)	-	
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	3.6 (1.7-7.3)	5.0 (2.2-11.1)	3.9 (0.9-15.6)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

## San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Unintentional Injuries/Violence** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	4.9 (2.9-8.3)	7.0 (4.0-12.0)	13.2 (5.1-30.2)	-	
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	7.1 (4.0-12.4)	8.6 (4.3-16.4)	-	-	
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	11.3 (6.4-19.2)	11.0 (4.9-22.9)	-	-	
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	19.4 (13.2-27.6)	20.7 (13.9-29.7)	38.5 (26.4-52.2)	-	
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	14.7 (10.1-20.9)	20.6 (13.9-29.4)	24.4 (14.0-38.9)	-	
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	18.8 (14.3-24.3)	23.9 (16.9-32.7)	41.9 (29.3-55.8)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\*

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	11.3 (7.7-16.5)	11.7 (7.2-18.4)	26.9 (17.0-39.9)	-	
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	3.9 (2.0-7.6)	3.6 (1.1-11.1)	21.1 (11.1-36.4)	-	
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.0	1.8 (0.4-7.3)	6.9 (1.5-26.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	14.3 (10.2-19.7)	33.0 (25.3-41.7)	44.0 (28.0-61.4)	-	
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	3.4 (1.8-6.5)	3.2 (1.1-8.5)	6.0 (1.7-18.9)	-	
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.7 (1.9-7.0)	11.6 (7.7-17.1)	27.1 (14.5-45.0)	-	
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	1.2 (0.4-4.0)	0.2 (0.0-1.8)	3.0 (0.4-19.8)	-	
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	1.0 (0.2-3.8)	0.2 (0.0-1.8)	0.0	-	
QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)	-	-	-	-	
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	-	-	-	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Tobacco Use

Tobacco Csc	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	32.1 (26.1-38.8)	44.7 (34.3-55.6)	61.3 (46.0-74.6)	-	
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	17.7 (13.4-23.0)	26.2 (18.7-35.4)	26.9 (15.4-42.8)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	57.0 (46.8-66.7)	72.7 (63.6-80.2)	64.9 (44.9-80.8)	-	
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	7.7 (4.8-12.2)	15.7 (9.9-23.9)	12.4 (4.8-28.8)	-	
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	29.5 (24.1-35.5)	36.4 (28.6-45.1)	33.0 (17.2-53.8)	-	
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	14.4 (10.9-18.7)	17.3 (12.0-24.3)	22.6 (10.0-43.5)	-	
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	3.4 (1.6-7.4)	2.2 (0.8-5.8)	12.2 (3.4-35.4)	-	
QN47: Percentage of students who ever used marijuana (one or more times during their life)	32.4 (25.3-40.5)	44.2 (35.9-53.0)	50.2 (35.0-65.3)	-	
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	3.8 (2.1-6.8)	2.8 (1.2-6.2)	11.4 (3.9-29.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	17.3 (13.7-21.5)	21.5 (16.1-28.2)	26.7 (13.7-45.5)	-	
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	3.9 (2.0-7.5)	3.1 (1.2-7.7)	7.9 (2.5-22.2)	-	
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	6.4 (3.8-10.7)	6.4 (3.4-11.7)	7.5 (0.9-40.4)	-	
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	2.8 (1.2-6.3)	0.5 (0.1-3.6)	2.5 (0.3-15.9)	-	
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	3.1 (1.6-6.1)	2.2 (0.8-6.1)	6.9 (1.6-25.6)	-	
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	7.7 (5.1-11.6)	4.3 (2.0-8.7)	11.6 (4.3-27.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	6.7 (3.9-11.2)	5.8 (2.9-11.3)	12.5 (3.5-36.1)	-	
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	2.2 (0.9-5.6)	0.7 (0.1-4.9)	4.4 (0.6-26.8)	-	
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	17.1 (13.3-21.8)	15.2 (9.3-23.9)	19.1 (8.5-37.3)	-	
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	0.6 (0.1-3.8)	1.2 (0.3-4.8)	2.5 (0.3-15.9)	-	
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	23.8 (19.8-28.4)	26.7 (19.5-35.2)	37.4 (20.9-57.4)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	22.5 (16.6-29.9)	42.0 (32.7-51.8)	49.1 (35.1-63.2)	-	
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	2.8 (1.1-7.3)	1.3 (0.3-5.0)	2.2 (0.3-15.2)	-	
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	4.1 (2.2-7.5)	8.1 (3.5-17.9)	15.6 (7.8-28.6)	-	
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	17.1 (11.9-23.9)	35.2 (26.5-45.2)	39.5 (26.1-54.7)	-	
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	30.8 (16.8-49.5)	12.9 (5.7-26.5)	-	-	
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	70.9 (55.0-82.9)	54.4 (42.8-65.5)	-	-	
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	19.2 (9.1-36.1)	35.2 (22.5-50.5)	-	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	4.9 (0.7-28.2)	1.9 (0.3-13.1)	-	-	
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	2.6 (0.4-15.7)	4.6 (1.3-14.9)	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	26.7 (14.6-43.7)	41.8 (28.5-56.3)	-	-	
QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	5.2 (1.4-17.9)	7.1 (1.6-26.7)	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	6.8 (2.3-18.3)	1.2 (0.2-8.5)	-	-	
QN67: Percentage of students who had sexual contact with females, males, or females and males	48.3 (40.0-56.7)	61.6 (51.8-70.6)	62.7 (51.5-72.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN68: Percentage of students who described themselves as gay or lesbian or bisexual	7.5 (4.8-11.4)	11.0 (6.2-18.6)	9.8 (3.0-27.6)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart <sup>¶</sup>	4.3 (2.2-8.2)	3.8 (1.4-9.6)	11.6 (5.3-23.3)	-	
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart	11.3 (7.4-16.8)	10.1 (6.9-14.6)	12.8 (5.1-28.3)	-	
QN69: Percentage of students who described themselves as slightly or very overweight	24.8 (17.9-33.2)	22.8 (16.5-30.6)	19.9 (9.4-37.4)	-	
QN70: Percentage of students who were trying to lose weight	38.4 (30.9-46.5)	35.1 (27.9-43.1)	32.2 (17.1-52.2)	-	
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	28.4 (22.7-35.0)	24.5 (17.3-33.5)	22.1 (11.7-37.7)	-	
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	2.5 (1.1-5.6)	11.7 (6.7-19.8)	11.3 (5.2-23.0)	-	
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	2.1 (0.8-5.1)	4.0 (1.7-9.1)	3.8 (0.9-13.8)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. Confidence interval.

<sup>&</sup>lt;sup>¶</sup>Based on reference data from the 2000 CDC Growth Charts.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	73.7 (65.8-80.3)	62.2 (53.3-70.4)	61.5 (42.3-77.6)	-	
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	44.0 (36.2-52.1)	30.3 (22.6-39.3)	35.4 (19.9-54.7)	-	
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	27.1 (18.2-38.4)	18.4 (12.4-26.5)	12.0 (5.4-24.7)	-	
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	20.6 (16.1-25.8)	26.6 (19.7-35.0)	39.4 (23.6-57.7)	-	
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	33.1 (27.9-38.8)	37.5 (28.9-47.1)	44.0 (27.5-61.9)	-	
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	31.1 (24.9-38.1)	37.7 (28.6-47.8)	54.7 (43.3-65.6)	-	
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	9.4 (6.8-12.9)	14.6 (9.2-22.4)	15.8 (6.6-33.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	2.1 (0.9-4.6)	5.3 (2.4-11.3)	5.6 (1.0-25.2)	-	
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	76.4 (70.8-81.2)	65.7 (56.1-74.2)	62.4 (47.8-75.0)	-	
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	37.0 (31.0-43.5)	28.2 (20.9-36.9)	21.8 (12.8-34.7)	-	
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	17.3 (11.8-24.6)	13.3 (7.6-22.2)	10.7 (3.8-26.8)	-	
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	43.4 (36.7-50.3)	32.6 (24.2-42.3)	33.5 (20.8-49.0)	-	
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	5.6 (3.5-8.9)	10.9 (6.7-17.1)	17.9 (9.8-30.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of st				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	2.7 (1.3-5.7)	3.9 (1.9-8.0)	14.2 (6.7-27.6)	-	
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	0.4 (0.0-2.7)	2.7 (1.0-6.9)	9.5 (3.1-25.5)	-	
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	17.9 (12.6-24.8)	22.5 (15.6-31.2)	20.3 (11.5-33.4)	-	
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	36.5 (28.0-45.9)	34.8 (27.7-42.6)	37.1 (25.6-50.3)	-	
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	18.4 (12.3-26.7)	17.8 (12.9-24.1)	29.5 (19.5-42.0)	-	
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	9.1 (5.7-14.2)	7.4 (4.3-12.5)	4.4 (1.1-15.8)	-	
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	4.9 (3.1-7.7)	9.1 (4.4-18.0)	18.2 (9.8-31.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\*

·	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	56.5 (47.1-65.4)	38.0 (30.3-46.3)	31.6 (19.2-47.4)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Physical Activity** 

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	66.2 (55.8-75.3)	58.0 (50.9-64.8)	58.8 (36.7-77.8)	-	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	7.3 (4.1-12.4)	6.5 (2.9-14.2)	8.8 (3.2-22.1)	-	
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	36.4 (26.6-47.4)	33.9 (27.0-41.7)	40.9 (21.5-63.6)	-	
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	12.6 (9.2-17.2)	16.0 (10.6-23.3)	9.1 (3.7-20.6)	-	
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	24.1 (17.9-31.5)	42.8 (33.3-52.8)	41.6 (28.0-56.7)	-	
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	54.4 (36.6-71.2)	53.9 (41.2-66.0)	76.8 (54.3-90.2)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* **Physical Activity** 

	Percentage of st				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	42.4 (27.4-59.0)	38.1 (28.9-48.2)	58.5 (36.2-77.8)	-	
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	72.4 (63.9-79.6)	56.1 (46.1-65.7)	57.1 (38.2-74.2)	-	
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	34.6 (25.6-45.0)	25.5 (17.9-35.0)	18.5 (8.8-34.6)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	5.7 (3.6-8.9)	10.8 (6.9-16.5)	13.1 (4.7-31.9)	-	
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	87.3 (82.2-91.1)	82.2 (74.1-88.3)	71.0 (53.0-84.2)	-	
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	14.6 (11.0-19.1)	17.3 (11.9-24.4)	16.2 (8.4-28.8)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	7.8 (4.6-12.7)	6.3 (3.3-11.7)	13.1 (5.4-28.2)	-	
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	9.2 (6.1-13.8)	9.9 (6.3-15.2)	13.5 (7.4-23.2)	-	
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	19.7 (14.5-26.1)	27.2 (20.6-35.0)	24.4 (12.3-42.4)	-	
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	15.0 (10.4-21.0)	21.3 (14.0-30.9)	17.8 (8.9-32.5)	-	
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	2.0 (0.9-4.4)	2.4 (0.8-6.7)	2.0 (0.3-12.4)	-	
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	16.9 (12.7-22.2)	15.1 (10.3-21.7)	25.2 (15.4-38.5)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Site-Added

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who responded that a drug sniffing dog on their campus would make them feel quite a bit or somewhat safer	28.3 (22.7-34.6)	24.5 (19.1-30.9)	30.6 (14.0-54.5)	-	
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	9.4 (3.9-20.8)	9.1 (4.1-19.2)	-	-	
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	1.1 (0.3-4.3)	1.0 (0.2-4.5)	5.1 (1.6-14.8)	-	
QN99: Percentage of students who have ever participated in oral sex	33.0 (24.8-42.4)	47.8 (36.6-59.2)	51.1 (37.8-64.2)	-	
QN100: Percentage of students who are transgender	1.3 (0.3-5.1)	0.7 (0.1-4.4)	2.1 (0.3-14.8)	-	
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	5.4 (3.4-8.5)	13.4 (8.7-19.9)	13.6 (5.6-29.5)	-	
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	95.6 (91.9-97.7)	91.9 (84.8-95.8)	83.8 (70.7-91.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

White\* Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	1.6 (0.7-3.9)	2.1 (0.5-8.4)	0.0	-	
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	37.5 (28.2-47.8)	36.0 (26.8-46.5)	31.6 (17.4-50.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	79.5 (57.6-91.7)	86.0 (68.6-94.5)	-	-	
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	6.2 (1.9-18.9)	2.1 (0.5-8.4)	0.0	-	
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	14.1 (6.9-26.7)	18.4 (10.1-31.1)	24.5 (12.6-42.2)	-	
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	-	-	-	-	
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	-	-	-	-	
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	8.3 (2.8-21.7)	9.3 (3.7-21.4)	15.8 (6.5-33.5)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	6.7 (2.0-20.3)	4.4 (1.1-16.3)	6.0 (1.8-18.7)	-	
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	6.8 (2.0-20.4)	1.4 (0.2-9.7)	4.5 (0.6-27.7)	-	
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	3.8 (0.9-15.3)	0.0	5.5 (1.3-20.7)	-	
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	3.0 (0.4-19.3)	4.2 (1.3-12.8)	1.5 (0.2-10.4)	-	
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	19.1 (11.6-29.8)	27.5 (15.3-44.3)	37.5 (22.1-55.9)	-	
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	0.0	1.7 (0.2-10.9)	2.7 (0.6-10.9)	-	
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	5.3 (2.1-12.6)	12.0 (4.6-27.9)	13.7 (5.4-30.5)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.9 (3.3-18.0)	3.6 (0.8-14.1)	13.1 (4.5-32.2)	-	
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	-	5.3 (1.5-17.0)	-	-	
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	-	4.3 (1.1-15.6)	-	-	
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	10.1 (4.5-21.1)	11.5 (5.2-23.5)	16.3 (6.9-34.0)	-	
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	6.5 (2.1-18.5)	4.4 (1.5-11.9)	7.5 (2.6-19.6)	-	
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	22.8 (14.5-34.1)	24.1 (15.8-34.9)	28.7 (15.2-47.6)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of st				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	21.8 (13.7-33.0)	7.3 (3.6-14.3)	6.5 (2.3-17.2)	-	
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	9.4 (4.3-19.4)	5.8 (1.6-18.8)	0.0	-	
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.0	2.9 (0.4-19.1)	0.0	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\*

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	28.1 (17.4-42.0)	21.6 (12.8-34.1)	23.1 (11.6-40.7)	-	
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	6.3 (1.8-19.5)	6.4 (3.0-13.2)	8.6 (2.6-25.0)	-	
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.7 (1.1-11.5)	2.6 (0.6-10.4)	0.0	-	
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	0.0	1.5 (0.2-10.2)	0.0	-	
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	1.5 (0.2-10.2)	0.0	-	
QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)	-	-	-	-	
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	-	-	-	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\*

Tobacco Use Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school Significant C's A's B's D's/F's Association†

Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	36.8 (24.8-50.8)	41.0 (29.3-53.8)	59.9 (43.3-74.6)	-	
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	14.7 (7.0-28.2)	21.1 (12.6-33.3)	25.7 (15.3-39.9)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	40.8 (28.3-54.5)	40.7 (26.7-56.4)	41.5 (24.1-61.3)	-	
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	16.2 (7.8-30.5)	12.4 (6.0-23.9)	10.0 (3.9-23.3)	-	
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	13.5 (6.1-27.0)	16.7 (8.7-29.7)	18.8 (9.2-34.7)	-	
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	4.8 (1.8-12.4)	10.2 (4.3-22.1)	10.3 (4.2-22.8)	-	
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	0.0	4.7 (1.1-17.4)	3.4 (0.4-22.0)	-	
QN47: Percentage of students who ever used marijuana (one or more times during their life)	19.5 (11.4-31.3)	28.0 (17.4-41.7)	52.2 (33.6-70.2)	-	
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	5.5 (1.5-18.1)	8.3 (3.7-17.6)	13.1 (5.5-28.0)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Alcohol/Other Drug Use

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	10.6 (4.8-21.8)	17.8 (9.5-30.8)	29.2 (15.6-47.9)	-	
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	6.7 (2.1-19.5)	2.1 (0.3-13.3)	1.3 (0.2-9.0)	-	
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	7.1 (2.4-19.2)	1.6 (0.2-10.8)	7.2 (1.9-24.2)	-	
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	4.6 (1.0-18.1)	0.0	5.4 (1.2-20.7)	-	
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	3.0 (0.4-19.3)	3.4 (0.8-13.2)	0.0	-	
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	7.5 (2.6-19.8)	2.1 (0.3-13.5)	6.6 (2.0-19.9)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	2.1 (0.3-13.2)	4.5 (1.4-13.5)	9.8 (3.8-23.1)	-	
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	0.0	3.1 (0.7-12.7)	7.9 (2.6-22.0)	-	
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	6.0 (2.3-15.1)	18.5 (9.2-33.7)	22.1 (11.4-38.4)	-	
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	2.6 (0.6-10.1)	0.0	5.4 (1.2-20.7)	-	
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	24.6 (14.9-37.7)	20.0 (10.5-34.7)	28.3 (18.2-41.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	24.4 (14.3-38.5)	37.1 (23.6-52.9)	37.1 (22.2-54.9)	-	
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	5.0 (1.1-19.7)	6.1 (2.2-15.8)	11.7 (3.9-29.9)	-	
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	7.3 (2.3-20.4)	15.3 (6.9-30.6)	8.9 (3.1-23.3)	-	
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	16.2 (8.4-29.0)	29.3 (18.6-43.0)	19.6 (9.9-34.9)	-	
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	-	-	-	-	
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	-	-	-	-	
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	-	-	-	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* **Sexual Behaviors** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	-	-	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	-	-	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	-	-	-	-	
QN67: Percentage of students who had sexual contact with females, males, or females and males	36.5 (25.4-49.2)	44.7 (31.1-59.2)	56.8 (41.5-70.8)	-	
QN68: Percentage of students who described themselves as gay or lesbian or bisexual	8.5 (3.3-20.2)	3.4 (1.0-10.8)	13.3 (4.5-33.0)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart <sup>¶</sup>	4.6 (1.9-10.8)	15.6 (9.0-25.5)	11.3 (4.7-24.8)	-	
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart	18.4 (10.2-30.7)	22.7 (14.2-34.1)	22.0 (12.4-35.9)	-	
QN69: Percentage of students who described themselves as slightly or very overweight	20.2 (12.4-31.1)	23.2 (14.4-35.2)	22.4 (13.0-35.9)	-	
QN70: Percentage of students who were trying to lose weight	49.4 (36.2-62.7)	29.9 (19.2-43.2)	37.6 (22.4-55.7)	-	
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	21.2 (11.6-35.4)	12.5 (6.3-23.3)	19.3 (9.7-34.6)	-	
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	10.2 (3.7-25.0)	5.2 (1.2-19.6)	10.4 (4.6-21.9)	-	
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	3.7 (0.9-13.7)	2.8 (0.6-11.6)	3.6 (0.8-14.1)	-	

<sup>\*</sup>Non-Hispanic.

Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.

<sup>¶</sup>Based on reference data from the 2000 CDC Growth Charts.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	75.2 (59.3-86.3)	69.9 (55.3-81.3)	60.3 (44.5-74.3)	-	
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	34.7 (22.3-49.6)	37.4 (24.8-51.8)	43.2 (26.5-61.7)	-	
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	18.4 (9.9-31.7)	22.6 (13.2-36.0)	29.7 (16.3-47.9)	-	
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	37.1 (26.0-49.8)	39.7 (27.1-53.8)	38.5 (26.9-51.5)	-	
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	46.8 (33.2-60.9)	43.8 (27.6-61.4)	41.2 (28.6-55.0)	-	
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	48.0 (35.0-61.2)	66.2 (53.2-77.1)	58.1 (39.3-74.7)	-	
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	25.5 (17.4-35.8)	21.7 (13.8-32.5)	36.7 (23.5-52.3)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	8.0 (3.4-17.6)	13.6 (6.2-27.4)	5.8 (2.1-14.7)	-	
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	61.8 (47.7-74.2)	54.2 (39.5-68.3)	39.7 (24.9-56.6)	-	
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	21.1 (11.6-35.2)	27.0 (17.0-40.1)	22.0 (11.5-38.0)	-	
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	10.6 (4.9-21.4)	14.3 (6.3-29.2)	15.1 (6.4-31.6)	-	
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	32.9 (21.2-47.2)	20.3 (11.3-33.7)	12.0 (4.8-26.9)	-	
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	10.5 (4.8-21.4)	22.7 (14.0-34.7)	14.9 (7.0-28.9)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	6.6 (2.4-17.0)	13.0 (7.1-22.5)	14.9 (7.0-28.9)	-	
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	1.9 (0.4-7.8)	8.3 (3.7-17.7)	8.6 (2.9-22.9)	-	
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	35.5 (24.2-48.8)	25.9 (14.8-41.3)	37.6 (23.1-54.8)	-	
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	16.1 (8.2-29.3)	32.5 (23.5-43.2)	28.6 (16.3-45.1)	-	
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	8.7 (4.1-17.6)	24.3 (15.7-35.8)	22.8 (10.8-41.7)	-	
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	4.0 (1.5-10.0)	10.4 (5.3-19.1)	17.5 (8.4-32.9)	-	
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	11.7 (5.3-23.7)	8.9 (4.3-17.5)	22.2 (11.9-37.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	36.2 (25.2-48.8)	30.7 (19.7-44.5)	22.0 (12.0-36.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* **Physical Activity** 

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	62.9 (48.5-75.3)	56.6 (43.9-68.5)	50.8 (34.7-66.7)	-	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	9.9 (4.4-20.7)	16.4 (9.1-27.8)	6.6 (2.4-16.9)	-	
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	38.2 (26.6-51.2)	36.7 (25.3-49.9)	31.5 (19.5-46.7)	-	
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	17.0 (9.6-28.4)	28.2 (18.1-41.2)	44.0 (27.0-62.6)	-	
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	31.3 (20.5-44.5)	39.9 (27.6-53.8)	51.6 (36.1-66.8)	-	
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	63.0 (49.0-75.1)	58.2 (46.2-69.3)	70.0 (51.1-83.9)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	45.2 (30.3-60.9)	48.9 (36.6-61.4)	58.7 (39.6-75.5)	-	
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	77.9 (65.5-86.7)	62.4 (49.1-74.1)	71.5 (50.8-85.9)	-	
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	30.8 (19.6-44.8)	31.9 (22.0-43.6)	19.9 (8.6-39.7)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	12.4 (6.5-22.5)	16.1 (8.8-27.6)	6.2 (1.9-18.1)	-	
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	59.7 (47.0-71.3)	63.5 (49.6-75.5)	55.0 (39.1-69.9)	-	
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	28.4 (18.9-40.3)	26.2 (17.8-36.9)	22.7 (11.9-39.0)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Site-Added

	Percentage of st				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	8.4 (3.1-21.0)	2.4 (0.5-10.5)	3.9 (0.9-15.3)	-	
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	13.5 (6.3-26.8)	4.1 (1.2-12.9)	12.6 (5.5-26.2)	-	
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	23.0 (13.8-35.8)	13.3 (7.4-22.7)	15.4 (6.8-31.4)	-	
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	19.0 (10.4-32.1)	10.9 (4.6-23.9)	1.2 (0.2-8.8)	-	
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	6.7 (1.9-21.0)	4.2 (1.3-13.1)	4.8 (1.5-14.5)	-	
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	13.2 (6.2-26.0)	13.5 (7.3-23.5)	11.5 (4.4-27.1)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Site-Added

	Percentage of st				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who responded that a drug sniffing dog on their campus would make them feel quite a bit or somewhat safer	45.1 (31.3-59.8)	36.6 (21.7-54.7)	33.3 (21.4-47.9)	-	
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	-	-	-	-	
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	5.9 (1.7-18.9)	7.6 (3.1-17.5)	0.0	-	
QN99: Percentage of students who have ever participated in oral sex	28.4 (18.3-41.2)	29.9 (18.9-43.8)	34.9 (22.8-49.4)	-	
QN100: Percentage of students who are transgender	2.6 (0.6-10.2)	3.6 (0.7-15.3)	5.9 (1.7-18.4)	-	
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	10.5 (5.1-20.5)	5.7 (1.8-17.1)	8.8 (3.6-20.0)	-	
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	79.8 (67.4-88.3)	83.5 (70.8-91.4)	80.4 (65.4-89.9)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Black\* Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association <sup>†</sup>
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	14.1 (6.8-26.9)	4.0 (1.2-12.7)	1.4 (0.2-9.5)	-	
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	33.6 (22.4-47.0)	47.6 (32.4-63.2)	60.5 (46.9-72.5)	-	

<sup>\*</sup>Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. \$Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)	78.3 (69.8-85.0)	81.0 (72.1-87.5)	92.0 (85.3-95.8)	85.7 (71.6-93.4)	No
QN9: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	5.1 (2.7-9.5)	3.4 (1.6-7.0)	6.9 (4.1-11.2)	5.8 (2.2-14.4)	No
QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)	20.6 (14.9-27.6)	22.6 (16.6-30.1)	26.9 (21.8-32.7)	33.1 (21.8-46.7)	No
QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.7 (1.8-11.5)	5.6 (2.5-12.1)	6.0 (2.4-14.3)	-	
QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	28.3 (17.9-41.7)	24.5 (17.9-32.5)	21.7 (12.2-35.6)	-	
QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	8.4 (5.0-13.7)	10.9 (6.4-17.8)	12.6 (8.8-17.8)	24.5 (14.5-38.3)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN14: Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)	2.5 (1.1-5.4)	1.5 (0.5-4.2)	1.8 (0.9-3.7)	15.1 (6.8-30.3)	Yes
QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)	1.7 (0.5-5.4)	3.3 (1.2-8.7)	2.5 (1.3-4.7)	15.5 (7.0-31.0)	Yes
QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	4.0 (2.0-7.7)	4.2 (2.3-7.5)	5.2 (3.2-8.4)	14.9 (8.6-24.7)	Yes
QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)	2.9 (1.4-5.8)	5.0 (2.8-8.8)	4.6 (2.5-8.4)	18.3 (9.8-31.6)	Yes
QN18: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	16.0 (12.0-20.9)	24.2 (17.8-32.0)	20.7 (15.4-27.2)	46.2 (29.6-63.8)	Yes
QN19: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)	2.1 (0.7-6.1)	2.0 (0.8-4.6)	0.7 (0.2-3.3)	15.5 (6.9-31.1)	Yes
QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.6 (3.8-11.1)	7.3 (4.2-12.4)	3.9 (2.5-6.1)	27.9 (15.8-44.4)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.9 (5.0-12.2)	5.1 (3.1-8.2)	9.4 (5.8-14.8)	4.2 (1.3-13.3)	No
QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	7.3 (4.2-12.5)	6.4 (3.8-10.8)	5.3 (2.4-11.2)	12.7 (4.0-33.4)	No
QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	8.4 (4.9-14.2)	6.9 (3.7-12.6)	12.3 (7.3-20.0)	11.7 (4.8-25.9)	No
QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)	14.4 (10.0-20.3)	14.9 (11.9-18.5)	10.0 (7.0-14.0)	12.6 (6.4-23.5)	No
QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)	12.3 (8.7-17.1)	9.4 (6.2-14.0)	12.1 (8.4-17.2)	9.8 (4.7-19.3)	No
QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)	24.0 (17.4-32.1)	35.3 (29.5-41.6)	41.8 (35.2-48.7)	47.0 (34.4-59.9)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

·	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	16.8 (12.7-22.0)	13.2 (8.8-19.1)	21.5 (15.9-28.4)	30.2 (18.3-45.4)	Yes
QN29: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	9.9 (6.5-14.7)	6.6 (4.0-10.8)	11.3 (6.9-18.0)	28.3 (16.9-43.4)	Yes
QN30: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.7 (0.2-2.4)	0.9 (0.2-3.0)	3.5 (1.6-7.7)	15.1 (7.5-28.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking (even one or two puffs)	27.7 (21.9-34.3)	32.8 (26.5-39.8)	38.3 (31.7-45.3)	48.9 (35.6-62.3)	Yes
QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)	5.6 (3.1-9.8)	6.1 (3.9-9.3)	6.7 (4.0-10.9)	20.3 (10.9-34.7)	No
QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	8.7 (5.5-13.4)	7.2 (4.9-10.6)	9.3 (5.3-15.9)	15.4 (8.9-25.3)	No
QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)	1.8 (0.6-5.6)	1.7 (0.7-4.2)	0.5 (0.1-2.2)	4.1 (1.2-13.3)	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	1.3 (0.3-5.0)	1.5 (0.5-4.0)	0.5 (0.1-2.2)	2.3 (0.3-14.9)	No
QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)	-	-	-	-	
QN36: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)	-	-	-	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Tobacco Use

Tobacco esc	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)	43.2 (35.6-51.1)	56.9 (49.8-63.8)	63.3 (56.2-69.9)	65.2 (51.4-76.9)	Yes
QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)	21.7 (17.1-27.3)	26.3 (20.8-32.5)	27.8 (21.9-34.6)	34.5 (24.1-46.7)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)	64.3 (57.4-70.6)	61.2 (56.1-66.1)	68.9 (62.3-74.9)	68.2 (53.4-80.1)	Yes
QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)	16.0 (11.7-21.5)	19.4 (14.7-25.0)	20.8 (16.5-25.8)	33.9 (23.6-45.9)	No
QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)	28.3 (22.3-35.1)	25.5 (19.5-32.5)	29.8 (23.7-36.6)	40.8 (24.7-59.2)	No
QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	14.9 (10.3-21.0)	12.5 (9.3-16.8)	15.2 (10.6-21.3)	21.8 (11.7-36.8)	No
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)	0.5 (0.1-1.9)	2.3 (1.2-4.2)	1.7 (0.8-4.0)	4.5 (1.3-14.5)	No
QN47: Percentage of students who ever used marijuana (one or more times during their life)	37.7 (29.7-46.5)	45.6 (38.8-52.7)	46.5 (40.2-53.0)	63.5 (48.6-76.2)	Yes
QN48: Percentage of students who tried marijuana before age 13 years (for the first time)	7.5 (5.0-11.1)	9.2 (6.3-13.3)	10.4 (7.4-14.4)	30.6 (20.6-42.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	15.8 (11.0-22.2)	22.1 (17.8-27.0)	20.9 (15.9-26.9)	38.7 (23.2-56.8)	Yes
QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)	7.2 (4.8-10.5)	5.3 (3.0-9.0)	7.0 (4.4-10.9)	15.2 (8.3-26.1)	No
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	7.2 (4.7-10.8)	8.6 (5.9-12.3)	4.3 (2.3-7.8)	16.5 (7.5-32.3)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)	1.7 (0.6-4.5)	1.9 (0.9-4.1)	1.8 (0.7-4.4)	12.2 (6.5-21.9)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	2.2 (0.9-5.0)	2.1 (1.0-4.5)	5.5 (3.0-9.9)	13.9 (7.9-23.3)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	6.7 (3.6-12.2)	6.9 (4.2-11.0)	7.8 (5.1-12.0)	17.9 (8.9-32.6)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)	6.2 (3.6-10.5)	10.0 (6.5-15.1)	13.6 (9.5-19.3)	21.4 (11.8-35.8)	Yes
QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	2.7 (1.2-6.1)	2.4 (1.0-5.5)	1.3 (0.5-3.5)	16.6 (8.1-31.0)	Yes
QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)	11.1 (7.1-16.9)	12.2 (8.9-16.4)	10.4 (7.0-15.2)	25.4 (15.2-39.2)	Yes
QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)	2.1 (0.9-5.0)	2.1 (0.8-5.5)	1.7 (0.7-4.2)	10.3 (3.7-25.2)	Yes
QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	24.2 (18.4-31.2)	31.9 (26.6-37.7)	29.9 (24.2-36.3)	44.6 (30.8-59.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Sexual Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN60: Percentage of students who ever had sexual intercourse	35.1 (28.2-42.7)	35.8 (28.3-44.1)	40.3 (32.5-48.7)	45.9 (29.7-62.9)	No
QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)	3.6 (1.8-7.0)	3.3 (1.6-6.7)	3.5 (1.7-6.9)	12.8 (5.6-26.7)	No
QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)	7.2 (4.6-11.0)	4.7 (2.8-7.8)	7.5 (4.4-12.4)	13.5 (6.0-27.6)	No
QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	24.3 (18.5-31.2)	23.9 (18.2-30.5)	22.8 (16.1-31.3)	35.9 (21.2-53.8)	No
QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	17.2 (9.7-28.7)	15.2 (9.0-24.4)	19.4 (10.2-33.9)	-	
QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)	59.3 (46.8-70.6)	59.0 (45.8-71.1)	58.7 (45.2-70.9)	-	
QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	11.7 (6.0-21.6)	14.6 (7.7-25.9)	12.9 (6.3-24.7)	-	

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>- =</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Sexual Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	2.3 (1.7-3.1)	4.0 (1.2-12.2)	0.0	-	
QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)	8.8 (3.5-20.5)	3.5 (1.0-12.0)	8.0 (3.5-17.6)	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	22.9 (15.1-33.1)	22.1 (13.4-34.2)	21.0 (11.8-34.6)	-	
QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	5.3 (1.8-14.7)	5.0 (1.6-14.6)	9.0 (3.1-23.5)	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	11.1 (5.8-20.4)	15.7 (7.5-29.8)	21.1 (12.5-33.4)	-	
QN67: Percentage of students who had sexual contact with females, males, or females and males	53.7 (45.7-61.5)	55.4 (48.6-62.0)	57.3 (50.9-63.5)	68.7 (52.4-81.3)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

<sup>-=</sup> Fewer than 30 students in this subgroup.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino **Sexual Behaviors** Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school Significant Association\* B's C's D's/F's A's **%** % % **Health Risk Behavior** 95% CI<sup>†</sup> 95% CI 95% CI 95% CI

9.1

(5.9-14.0)

5.2

(3.3-8.1)

8.1

(5.6-11.6)

16.4

(7.1-33.3)

No

QN68: Percentage of students who described themselves as gay or lesbian or bisexual

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart <sup>§</sup>	11.9 (8.4-16.7)	11.7 (8.7-15.7)	20.8 (16.5-26.0)	21.6 (13.7-32.2)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart§	18.0 (13.5-23.7)	18.4 (14.1-23.6)	23.4 (17.3-30.8)	30.6 (21.0-42.3)	No
QN69: Percentage of students who described themselves as slightly or very overweight	33.4 (28.3-38.9)	38.8 (33.1-44.7)	42.2 (35.6-49.0)	46.8 (32.4-61.8)	Yes
QN70: Percentage of students who were trying to lose weight	52.1 (46.4-57.7)	60.2 (53.3-66.7)	55.7 (48.8-62.3)	61.0 (44.3-75.4)	Yes
QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	19.7 (15.3-25.0)	21.3 (16.8-26.6)	23.8 (18.4-30.2)	22.5 (15.4-31.8)	No
QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	10.1 (5.9-16.8)	5.5 (3.4-8.8)	9.1 (6.5-12.7)	18.7 (9.5-33.6)	Yes
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)	4.3 (2.2-8.3)	2.4 (1.0-5.4)	3.9 (2.1-7.1)	9.2 (4.3-18.8)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. 
† Confidence interval.

<sup>§</sup> Based on reference data from the 2000 CDC Growth Charts.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)	72.0 (64.4-78.6)	66.3 (61.1-71.2)	61.7 (54.1-68.8)	62.9 (51.2-73.3)	No
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)	35.0 (29.2-41.3)	31.0 (24.2-38.8)	32.2 (24.7-40.8)	23.2 (13.0-37.8)	No
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)	20.3 (14.6-27.6)	20.7 (15.7-26.6)	21.5 (14.8-30.2)	12.7 (6.7-22.8)	No
QN73: Percentage of students who did not eat salad (during the 7 days before the survey)	31.7 (25.6-38.6)	33.9 (28.7-39.6)	39.1 (32.6-46.1)	49.5 (35.1-63.9)	No
QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)	34.7 (28.6-41.3)	37.8 (31.3-44.8)	41.7 (35.0-48.8)	48.8 (38.4-59.3)	Yes
QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)	41.8 (36.0-47.8)	45.8 (40.3-51.4)	50.3 (43.1-57.6)	51.0 (40.0-61.9)	No
QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)	19.2 (14.4-25.1)	18.4 (12.4-26.5)	24.1 (18.8-30.3)	28.3 (17.5-42.3)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	5.1 (3.0-8.6)	3.8 (2.2-6.4)	7.7 (4.9-12.0)	14.7 (7.2-27.7)	No
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	63.6 (55.9-70.7)	56.2 (51.1-61.2)	54.9 (47.3-62.4)	42.2 (31.6-53.5)	No
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	26.9 (21.3-33.3)	24.3 (19.4-30.1)	24.1 (18.0-31.5)	17.2 (9.7-28.6)	No
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	13.1 (8.8-19.1)	11.4 (7.9-16.1)	13.2 (9.0-18.9)	8.5 (3.9-17.8)	No
QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)	44.6 (38.3-51.1)	29.9 (24.3-36.2)	23.0 (17.6-29.5)	17.2 (8.8-30.9)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	6.8 (4.3-10.7)	8.8 (6.0-12.7)	12.0 (8.9-16.0)	23.8 (13.6-38.3)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

	Percentage of s				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	4.3 (2.2-8.2)	5.2 (3.4-7.8)	6.0 (3.8-9.2)	20.4 (11.0-34.8)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)	2.9 (1.2-7.2)	3.0 (1.8-5.0)	3.5 (2.0-6.2)	15.7 (7.3-30.5)	Yes
QN78: Percentage of students who did not drink milk (during the 7 days before the survey)	15.7 (11.1-21.6)	18.7 (14.1-24.5)	16.2 (11.4-22.5)	26.8 (15.8-41.6)	No
QNMILK1: Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)	38.2 (31.7-45.2)	26.8 (22.6-31.5)	32.3 (25.9-39.5)	26.5 (18.4-36.7)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)	21.3 (15.1-29.2)	16.5 (12.6-21.3)	17.6 (13.3-22.8)	19.2 (11.8-29.5)	No
QNMILK3: Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)	8.9 (5.5-13.8)	7.3 (4.3-12.3)	7.8 (5.0-11.9)	8.9 (4.2-17.8)	No
QN79: Percentage of students who did not eat breakfast (during the 7 days before the survey)	10.0 (6.6-14.8)	12.7 (8.7-18.2)	18.9 (14.6-24.2)	23.6 (13.4-38.2)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Dictary Demicros	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	46.3 (41.4-51.3)	29.2 (23.9-35.1)	26.8 (21.6-32.8)	10.5 (5.0-20.7)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	53.4 (45.7-60.9)	43.1 (36.4-50.1)	37.2 (31.0-43.8)	33.1 (24.3-43.1)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	11.7 (8.1-16.7)	16.2 (11.7-22.1)	14.2 (10.0-19.8)	25.0 (15.1-38.5)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)	29.5 (23.6-36.1)	23.2 (17.5-30.2)	16.2 (11.3-22.6)	13.2 (7.4-22.2)	Yes
QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)	20.5 (15.2-27.1)	24.4 (20.4-28.9)	21.0 (16.1-26.9)	32.5 (22.0-45.2)	No
QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)	40.2 (33.6-47.2)	49.7 (43.3-56.0)	46.3 (39.7-52.9)	57.4 (46.2-67.9)	No
QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)	56.9 (46.3-66.9)	59.3 (48.3-69.4)	55.6 (46.1-64.8)	64.3 (50.9-75.8)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino **Physical Activity** 

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)	42.1 (33.1-51.5)	40.6 (32.7-49.1)	40.3 (31.3-49.9)	34.7 (24.7-46.3)	No
QN84: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)	55.5 (47.3-63.3)	50.9 (45.0-56.9)	46.9 (40.2-53.7)	41.9 (30.6-54.1)	No
QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)	33.3 (27.6-39.5)	30.7 (25.6-36.5)	29.8 (24.3-36.0)	22.4 (13.7-34.5)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)	16.9 (12.8-22.0)	12.9 (9.2-17.8)	18.7 (14.3-24.1)	15.1 (7.3-28.8)	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)	71.9 (66.5-76.8)	66.3 (59.9-72.2)	61.9 (54.7-68.6)	44.2 (31.3-57.9)	Yes
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	15.2 (11.0-20.7)	18.3 (12.9-25.1)	19.4 (14.5-25.6)	18.7 (10.0-32.4)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who responded that the person they were going out with had ever threatened them, limited their activities against their will, or made them feel unsafe in any other way	8.0 (4.5-13.8)	5.4 (3.6-8.2)	9.3 (5.7-14.8)	17.4 (9.1-30.8)	Yes
QN91: Percentage of students who have been harassed because someone thought they were gay, lesbian, or bisexual (one or more times during the 12 months before the survey)	10.3 (6.5-15.9)	12.9 (9.6-17.0)	9.5 (6.6-13.5)	22.7 (14.9-32.8)	No
QN92: Percentage of students who disagree or strongly disagree that their school has clear consequences for students who bully or harass other students	19.7 (15.6-24.7)	21.3 (16.7-26.9)	17.8 (13.4-23.4)	27.1 (16.2-41.8)	No
QN93: Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)	13.1 (9.7-17.4)	18.0 (13.9-23.0)	11.1 (7.8-15.7)	21.3 (10.4-38.8)	No
QN94: Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)	2.9 (1.2-6.7)	1.3 (0.5-3.4)	3.0 (1.4-6.4)	4.9 (1.0-20.6)	No
QN95: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	18.4 (13.8-24.2)	17.5 (11.7-25.4)	25.8 (19.3-33.6)	29.7 (15.1-50.0)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
Health Risk Behavior	A's % 95% CI†	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	Significant Association*
QN97: Percentage of students who reported their partners were three or more years older than themselves the first time they had sexual intercourse (among students who have had sexual intercourse)	15.2 (9.9-22.6)	17.2 (12.0-23.9)	22.5 (14.7-32.9)	18.8 (6.7-42.7)	No
QN98: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	2.5 (1.1-5.6)	0.9 (0.3-2.8)	5.6 (3.5-9.1)	8.4 (2.5-24.8)	Yes
QN99: Percentage of students who have ever participated in oral sex	36.5 (29.8-43.7)	40.7 (34.5-47.2)	37.6 (31.1-44.5)	50.3 (33.6-67.0)	No
QN100: Percentage of students who are transgender	1.3 (0.4-4.3)	2.7 (1.3-5.7)	2.8 (1.5-5.3)	5.2 (1.6-15.9)	No
QN101: Percentage of students who think other people at school would describe them as equally feminine and masculine	8.6 (5.3-13.6)	12.4 (8.3-18.1)	10.8 (6.8-16.7)	9.3 (3.5-22.3)	No
QN102: Percentage of students who have been taught about AIDS or HIV infection in school	90.9 (86.8-93.8)	85.5 (81.1-89.1)	81.4 (76.3-85.6)	69.7 (56.2-80.5)	Yes

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.

# San Diego High School Survey **Risk Behaviors and Academic Achievement Report**

Hispanic/Latino Site-Added

Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI <sup>†</sup>	% 95% CI	% 95% CI	% 95% CI	
QN103: Percentage of students who have been told by a doctor or nurse that they had a sexually transmitted disease (STD)	4.3 (2.2-8.3)	3.8 (2.2-6.6)	7.2 (4.2-12.0)	4.9 (1.5-14.7)	No
QN104: Percentage of students who reported their doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) (during their last check-up, among students who have had a check-up)	47.3 (38.8-55.9)	41.1 (34.1-48.5)	48.7 (41.1-56.5)	40.6 (26.6-56.3)	No

<sup>\*</sup>Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.  $^{\dagger}$  Confidence interval.