

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	7.6 (6.3-9.1)	8,283	18.1 (10.6-29.3)	148	13.3 (8.1-21.2)	131	Yes	No	No
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.5 (15.0-18.0)	18,967	39.0 (27.3-52.1)	321	31.3 (21.2-43.6)	301	Yes	Yes	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.9 (3.6-6.8)	6,148	31.6 (17.5-50.0)	104	23.1 (10.8-42.6)	94	Yes	Yes	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	26.3 (23.6-29.1)	5,587	65.4 (53.2-75.8)	140	64.4 (53.5-73.9)	147	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	8.2 (7.5-8.9)	25,715	34.2 (25.0-44.7)	411	24.7 (19.0-31.6)	419	Yes	Yes	No
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	2.4 (2.0-2.8)	17,181	21.7 (13.0-33.9)	266	16.5 (11.4-23.2)	287	Yes	Yes	No
QN14: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	3.0 (2.6-3.5)	14,849	31.9 (23.5-41.5)	269	16.3 (11.1-23.3)	271	Yes	Yes	Yes
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	7.0 (6.3-7.8)	25,750	27.5 (20.3-36.1)	437	32.1 (24.7-40.6)	443	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.5 (4.9-6.2)	28,165	31.3 (24.0-39.6)	479	27.2 (20.8-34.6)	491	Yes	Yes	No
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	21.5 (20.3-22.8)	25,468	42.0 (32.8-51.8)	412	32.3 (25.7-39.7)	425	Yes	Yes	No
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	8.0 (7.0-9.2)	15,725	33.8 (18.9-52.7)	257	16.2 (10.2-24.7)	229	Yes	Yes	No
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.8 (7.0-8.6)	18,884	16.7 (10.5-25.6)	284	22.0 (13.9-32.9)	263	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	9.7 (8.3-11.4)	3,391	30.0 (16.5-48.1)	83	18.7 (7.9-38.3)	57	Yes	No	No
Q21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	10.2 (9.4-11.1)	11,214	35.0 (24.6-47.0)	189	35.0 (24.7-47.0)	172	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.9 (7.1-8.9)	16,184	38.5 (27.2-51.2)	282	28.3 (19.6-39.0)	250	Yes	Yes	No
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	14.0 (13.2-14.9)	27,851	25.7 (18.8-34.2)	413	33.1 (26.7-40.3)	432	Yes	Yes	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	11.8 (11.0-12.7)	27,972	31.3 (24.3-39.1)	419	28.9 (22.7-36.1)	439	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN25: Percentage of students who felt sad or hopeless (almost every day for ≥2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	30.3 (29.2-31.5)	27,635	49.7 (41.8-57.6)	408	52.0 (44.6-59.3)	420	Yes	Yes	No
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	14.6 (13.9-15.3)	27,701	39.8 (32.0-48.1)	404	36.8 (29.7-44.4)	423	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	12.0 (10.8-13.3)	14,756	40.9 (28.5-54.5)	239	32.7 (19.2-49.9)	212	Yes	Yes	No
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	9.1 (8.4-9.8)	23,735	41.7 (33.0-50.9)	358	37.5 (30.2-45.4)	373	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	2.7 (2.4-3.1)	21,742	18.9 (12.1-28.2)	309	12.2 (6.4-22.0)	333	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	16.1 (14.7-17.5)	15,865	34.5 (25.7-44.5)	222	27.5 (20.0-36.4)	242	Yes	Yes	No
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	7.4 (6.4-8.4)	14,394	33.2 (19.7-50.2)	217	14.4 (6.9-27.8)	214	Yes	No	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.8 (3.3-4.5)	19,622	23.4 (15.2-34.2)	266	17.2 (12.4-23.2)	309	Yes	Yes	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.5 (0.4-0.7)	19,622	5.8 (2.6-12.4)	266	3.3 (1.5-6.8)	309	Yes	Yes	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.4 (0.3-0.6)	19,622	5.7 (2.5-12.4)	266	2.1 (0.9-5.2)	309	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN33: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)	6.0 (3.9-9.1)	637	47.7 (24.7-71.8)	54	12.2 (4.6-28.5)	41	Yes	No	Yes
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])	36.1 (34.2-38.1)	16,882	51.3 (38.6-63.7)	236	37.0 (24.8-51.0)	218	Yes	No	No
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	11.4 (10.5-12.4)	26,496	34.0 (25.3-44.0)	415	24.6 (18.4-32.1)	428	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q36: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)	17.3 (11.3-25.6)	335	12.6 (3.6-36.0)	24	0.0 (-.)	5	No	Yes	No
Q37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	2.4 (2.1-2.8)	15,892	23.4 (15.7-33.5)	270	13.9 (10.3-18.5)	278	Yes	Yes	Yes
Q38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.9 (3.4-4.4)	23,398	30.1 (22.3-39.2)	404	22.8 (17.4-29.4)	410	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	5.9 (5.2-6.8)	15,561	39.4 (30.4-49.1)	239	26.2 (19.6-34.0)	266	Yes	Yes	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	6.8 (6.0-7.7)	15,565	40.0 (31.0-49.8)	243	27.8 (21.2-35.5)	268	Yes	Yes	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	15.3 (14.2-16.5)	14,967	46.3 (36.4-56.4)	243	34.3 (26.8-42.8)	259	Yes	Yes	Yes
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	39.0 (34.5-43.6)	1,448	59.0 (30.1-82.7)	49	24.3 (10.8-45.9)	35	No	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)	55.9 (53.4-58.3)	17,126	66.9 (54.4-77.5)	261	56.8 (44.0-68.8)	233	No	No	No
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	16.2 (15.2-17.1)	23,073	40.3 (31.9-49.3)	336	30.9 (24.0-38.8)	357	Yes	Yes	No
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	21.1 (19.7-22.5)	24,886	35.6 (27.4-44.8)	308	30.9 (24.3-38.4)	336	Yes	Yes	No
QN43: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)	37.3 (33.4-41.4)	2,079	22.8 (10.0-44.0)	52	26.2 (14.7-42.2)	43	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN44: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	7.0 (6.3-7.7)	25,584	16.5 (10.8-24.6)	344	11.8 (7.0-19.2)	379	Yes	No	No
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	1.5 (1.2-1.9)	14,505	14.0 (7.7-24.0)	189	4.9 (2.2-10.4)	201	Yes	No	Yes
QN46: Percentage of students who ever used marijuana (one or more times during their life)	36.2 (33.8-38.7)	9,396	54.1 (39.4-68.1)	138	28.7 (16.8-44.5)	130	Yes	No	Yes
QN47: Percentage of students who tried marijuana for the first time before age 13 years	6.3 (5.6-7.1)	24,386	34.3 (25.3-44.5)	384	15.1 (10.7-20.9)	395	Yes	Yes	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	18.3 (17.2-19.5)	26,527	36.4 (27.2-46.6)	403	20.1 (15.1-26.2)	425	Yes	No	Yes
QN49: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	3.2 (2.8-3.6)	25,259	28.9 (21.5-37.6)	432	17.0 (12.3-22.9)	428	Yes	Yes	Yes
QN50: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	5.4 (4.6-6.4)	15,159	37.9 (24.4-53.7)	276	13.0 (7.6-21.5)	236	Yes	Yes	Yes
QN51: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	2.1 (1.8-2.4)	25,156	33.2 (24.7-42.9)	425	19.4 (13.7-26.8)	420	Yes	Yes	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN52: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	2.3 (1.7-3.0)	15,210	35.3 (22.4-50.8)	276	9.9 (5.6-17.0)	242	Yes	Yes	Yes
QN53: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	3.3 (2.6-4.2)	15,291	36.3 (22.7-52.5)	250	9.3 (5.2-16.2)	237	Yes	Yes	Yes
QN54: Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)	4.8 (4.3-5.3)	22,792	30.5 (22.0-40.6)	394	16.1 (11.4-22.2)	401	Yes	Yes	Yes
QN55: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	2.3 (1.8-3.0)	5,722	38.1 (23.6-55.0)	121	5.0 (2.1-11.4)	91	Yes	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q56: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	11.1 (10.0-12.3)	18,186	32.8 (22.2-45.5)	310	16.3 (11.0-23.4)	286	Yes	No	Yes
Q57: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	1.6 (1.3-1.9)	14,004	25.4 (16.9-36.2)	237	16.3 (10.9-23.5)	243	Yes	Yes	No
Q58: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	27.0 (25.3-28.8)	10,930	44.9 (33.1-57.4)	163	30.8 (20.7-43.3)	159	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN59: Percentage of students who ever had sexual intercourse	30.6 (28.5-32.8)	22,966	40.3 (30.8-50.5)	226	29.7 (21.8-38.9)	271	No	No	No
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	3.9 (3.3-4.6)	22,825	16.8 (10.1-26.5)	236	8.2 (4.6-14.2)	273	Yes	No	No
QN61: Percentage of students who had sexual intercourse with four or more persons during their life	7.5 (6.6-8.4)	20,707	16.1 (9.3-26.6)	219	6.9 (3.7-12.7)	245	Yes	No	Yes
QN62: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	20.4 (18.8-22.2)	21,469	29.6 (19.9-41.6)	226	19.8 (12.8-29.3)	261	No	No	No
QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	18.1 (15.4-21.2)	4,461	21.6 (10.1-40.1)	63	45.9 (22.8-70.8)	41	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN64: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	57.1 (54.0-60.1)	4,611	51.0 (29.1-72.4)	58	36.0 (17.2-60.4)	41	No	No	No
QN65: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	15.4 (13.3-17.7)	4,634	15.8 (3.4-50.2)	59	12.1 (3.3-35.7)	46	No	No	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	5.3 (4.0-7.1)	4,634	0.7 (0.2-2.9)	59	9.7 (2.0-36.5)	46	Yes	No	No
QNSHPARG: Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))	3.7 (3.1-4.5)	4,634	3.0 (0.5-17.3)	59	0.0 (-.)	46	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	24.4 (22.1-26.9)	4,634	19.5 (5.5-50.3)	59	21.7 (8.1-46.6)	46	No	No	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	7.1 (5.8-8.7)	4,542	0.2 (0.0-1.4)	55	12.6 (3.4-37.2)	40	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	19.7 (17.7-22.0)	4,634	21.2 (11.0-36.9)	59	28.6 (13.2-51.2)	46	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	13.9 (13.0-14.9)	25,292	17.4 (11.0-26.5)	346	11.4 (7.9-16.1)	367	No	No	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	16.5 (15.5-17.4)	25,292	14.5 (9.7-21.1)	346	17.8 (12.6-24.5)	367	No	No	No
QN68: Percentage of students who described themselves as slightly or very overweight	32.9 (31.4-34.4)	16,410	22.2 (13.9-33.4)	289	32.5 (21.8-45.4)	253	Yes	No	No
QN69: Percentage of students who were trying to lose weight	46.0 (44.4-47.5)	16,520	47.8 (34.9-61.0)	284	52.5 (38.7-66.0)	257	No	No	No
QN70: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	29.4 (28.1-30.7)	25,116	39.8 (30.9-49.5)	421	38.4 (30.8-46.5)	432	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

[‡]Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN71: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	14.8 (13.7-15.9)	25,174	34.3 (26.6-43.0)	418	26.1 (20.3-32.8)	433	Yes	Yes	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	7.2 (6.6-7.8)	24,870	20.3 (14.1-28.5)	413	14.4 (9.3-21.5)	424	Yes	Yes	No
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	55.1 (53.9-56.2)	24,870	42.3 (32.9-52.3)	413	53.5 (45.8-61.0)	424	Yes	No	No
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	27.8 (26.7-28.9)	24,870	21.3 (15.4-28.8)	413	25.3 (19.3-32.4)	424	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	17.3 (16.4-18.2)	24,870	16.0 (10.9-22.9)	413	16.5 (11.5-23.2)	424	No	No	No
QN72: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	43.8 (42.0-45.6)	15,378	48.6 (36.3-61.1)	275	48.3 (36.2-60.6)	251	No	No	No
QN73: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	44.9 (43.2-46.7)	15,351	37.8 (25.2-52.4)	272	53.3 (39.5-66.7)	253	No	No	No
QN74: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	54.7 (53.0-56.4)	15,317	45.0 (32.8-58.0)	272	58.5 (46.3-69.7)	250	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN75: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	22.0 (20.2-23.9)	15,225	43.0 (30.5-56.3)	272	34.9 (22.7-49.5)	251	Yes	No	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	9.7 (8.8-10.6)	15,018	8.7 (4.2-17.3)	260	23.6 (12.0-41.1)	239	No	No	No
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	52.2 (49.9-54.5)	15,018	63.7 (51.1-74.6)	260	49.3 (36.5-62.3)	239	No	No	No
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	22.3 (20.7-23.9)	15,018	31.7 (19.8-46.6)	260	24.7 (15.3-37.3)	239	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	11.2 (10.2-12.3)	15,018	21.2 (10.5-38.2)	260	14.3 (8.2-23.8)	239	No	No	No
QN76: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	32.9 (31.6-34.3)	21,086	36.2 (27.3-46.1)	366	33.7 (26.1-42.2)	380	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	12.8 (11.9-13.7)	21,086	18.0 (12.4-25.6)	366	21.0 (15.3-28.2)	380	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	8.2 (7.5-8.9)	21,086	12.6 (7.9-19.3)	366	13.0 (8.6-19.1)	380	No	No	No
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	4.7 (4.1-5.2)	21,086	9.9 (5.7-16.5)	366	7.5 (4.6-11.9)	380	Yes	No	No
QN77: Percentage of students who did not drink milk (during the 7 days before the survey)	32.4 (31.3-33.5)	16,464	35.3 (26.4-45.4)	270	28.6 (22.2-36.0)	287	No	No	No
QNMILK1: Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	22.8 (21.8-23.8)	16,464	15.0 (10.6-21.0)	270	28.4 (20.6-37.7)	287	Yes	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNMILK2: Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	11.8 (11.1-12.5)	16,464	7.7 (4.8-12.2)	270	15.6 (10.0-23.4)	287	Yes	No	Yes
QNMILK3: Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	5.4 (4.9-5.9)	16,464	5.0 (2.5-9.6)	270	6.8 (3.8-12.0)	287	No	No	No
QN78: Percentage of students who did not eat breakfast (during the 7 days before the survey)	14.6 (13.6-15.5)	24,511	31.5 (23.8-40.4)	412	20.4 (14.8-27.3)	426	Yes	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	33.5 (32.4-34.7)	24,511	14.8 (10.5-20.5)	412	22.8 (16.7-30.2)	426	Yes	Yes	Yes
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	70.6 (67.8-73.3)	8,749	48.1 (34.7-61.8)	121	53.5 (40.6-66.0)	173	Yes	Yes	No
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	64.3 (61.6-67.0)	8,749	44.4 (31.5-58.1)	121	44.3 (32.4-56.8)	173	Yes	Yes	No
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	52.2 (50.2-54.1)	8,749	31.9 (20.9-45.2)	121	35.7 (25.2-47.8)	173	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN79: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	40.0 (38.3-41.7)	24,286	16.1 (11.3-22.5)	409	21.8 (16.5-28.1)	422	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	18.4 (17.3-19.6)	24,286	27.6 (20.9-35.4)	409	28.6 (21.6-36.8)	422	Yes	Yes	No
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	20.8 (19.7-22.0)	24,286	11.4 (7.2-17.5)	409	10.5 (7.1-15.3)	422	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS
Select U.S. Large Urban School Districts High School Surveys
Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)	22.5 (21.5-23.5)	22,020	16.8 (10.8-25.1)	375	18.0 (12.2-25.8)	392	No	No	No
QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	43.3 (42.0-44.6)	22,049	34.3 (26.7-42.9)	380	41.8 (33.7-50.5)	394	Yes	No	No
QN82: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)	69.0 (65.2-72.5)	13,838	66.5 (56.7-75.0)	229	66.3 (57.9-73.8)	247	No	No	No
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)	31.4 (26.9-36.3)	13,838	18.5 (11.6-28.2)	229	27.1 (20.0-35.6)	247	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN83: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	48.2 (45.2-51.2)	11,025	43.4 (29.3-58.5)	196	42.0 (25.5-60.4)	186	No	No	No
QN84: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	13.4 (12.0-14.9)	13,506	45.4 (32.4-59.2)	251	27.2 (17.3-40.1)	220	Yes	Yes	No
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	22.8 (21.4-24.2)	25,137	11.8 (7.2-18.9)	419	17.7 (11.4-26.4)	429	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. Large Urban School Districts High School Surveys Risk Behaviors and Transgender Report

Other

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN85: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	16.2 (14.9-17.5)	23,840	34.2 (25.9-43.5)	383	14.5 (10.5-19.7)	388	Yes	No	Yes
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	71.6 (70.1-73.1)	15,770	55.5 (46.5-64.2)	253	57.9 (50.4-65.1)	271	Yes	Yes	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.8 (1.5-2.2)	15,770	10.3 (6.0-17.2)	253	3.6 (2.1-6.1)	271	Yes	No	Yes
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	22.9 (22.0-23.9)	22,274	40.4 (30.7-50.9)	363	27.5 (21.3-34.8)	361	Yes	No	No
QN89: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)	67.7 (65.0-70.2)	18,454	61.4 (48.0-73.3)	323	57.4 (45.8-68.2)	293	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.